



US00D871714S

(12) **United States Design Patent**
Chan

(10) **Patent No.:** **US D871,714 S**

(45) **Date of Patent:** **** Dec. 31, 2019**

- (54) **MAIL CATCHING DEVICE**
- (71) Applicant: **Michelle Chan**, San Francisco, CA
(US)
- (72) Inventor: **Michelle Chan**, San Francisco, CA
(US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/612,748**
- (22) Filed: **Aug. 3, 2017**
- (51) **LOC (12) Cl.** **99-00**
- (52) **U.S. Cl.**
USPC **D99/33**
- (58) **Field of Classification Search**
USPC D99/28, 29, 31, 33, 43, 99; D3/201, 303,
D3/304, 215; D6/553, 567, 512, 573;
D19/65, 75, 86, 90, 99, 100
CPC A47G 29/00; A47G 29/08; A47G 29/12;
A47G 29/1201; A47G 29/1203; A47G
29/1209; A47G 29/1218; A47G 29/16;
E05G 1/00; E05G 1/005
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 463,264 A * 11/1891 Adler A47G 29/1201
232/26
- D25,400 S * 4/1896 Hadley D99/33
- D27,017 S * 5/1897 Weller D99/33
- D99,000 S * 3/1936 Christine D99/33
- D129,901 S * 10/1941 Hanson D99/33
- D145,608 S * 9/1946 Aleks D99/33
- D148,702 S * 2/1948 Holmgren D99/33
- D148,958 S * 3/1948 Robinette D99/33
- D154,470 S * 7/1949 Gieseler D99/33
- D158,300 S * 4/1950 May D99/33
- 2,578,692 A * 12/1951 Gieseler A47G 29/12
232/19

- 2,578,693 A * 12/1951 Gieseler A47G 29/12
232/19
- D166,748 S * 5/1952 Gosweiler D99/33
- D169,076 S * 3/1953 Lindberg D99/33
- D179,790 S * 2/1957 Wells D99/33
- D183,942 S * 11/1958 Masso D99/33
- D189,169 S * 11/1960 Blumenthal D99/33
- 3,325,091 A * 6/1967 Marillo A47G 29/12
232/17
- 3,749,302 A * 7/1973 White A47G 29/12
232/17
- 4,069,965 A 1/1978 Maddox
- D265,264 S * 6/1982 Yeh D99/28
- D321,075 S * 10/1991 Scott D99/33
- D323,731 S * 2/1992 Blake D99/33
- 5,368,226 A 11/1994 Franceschino

(Continued)

FOREIGN PATENT DOCUMENTS

WO 2011005242 A1 1/2011

Primary Examiner — Elizabeth J Oswecki


(57) **CLAIM**

The ornamental design for a mail catching device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a mail catching device showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a top view thereof;
 FIG. 4 is a bottom view thereof;
 FIG. 5 is a left side elevational view thereof, the right side being a mirror image thereof; and,
 FIG. 6 is a perspective view thereof, shown in a used condition attached to a door shown in broken lines.
 The broken line showing of a door in FIG. 6 represents unclaimed environmental subject matter and forms no part of the claim.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,624,071 A * 4/1997 Sosan A47G 29/20
232/1 B
RE35,569 E * 7/1997 Willis A47G 29/12
D99/33
D410,850 S * 6/1999 Lio D99/33
D442,348 S * 5/2001 Cavero D99/29
D444,609 S * 7/2001 Cavero D99/33
D485,312 S * 1/2004 Gaska D20/41
7,182,243 B2 2/2007 Plappert
7,240,823 B1 7/2007 Saidiazar
D573,653 S * 7/2008 Chen D19/90
D644,814 S * 9/2011 Clarke D99/33
D678,654 S * 3/2013 Farentinos D99/33
D678,655 S * 3/2013 Farentinos D99/33
D713,614 S * 9/2014 Steele D99/33

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6