



US00D871763S

(12) **United States Design Patent**
Boydd

(10) **Patent No.:** **US D871,763 S**
(45) **Date of Patent:** **** Jan. 7, 2020**

- (54) **LOAD BEARING COVER**
- (71) Applicant: **James Boydd**, Riverside, CA (US)
- (72) Inventor: **James Boydd**, Riverside, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/628,241**
- (22) Filed: **Dec. 3, 2017**
- (51) **LOC (12) Cl.** **03-01**
- (52) **U.S. Cl.**
USPC **D3/301**
- (58) **Field of Classification Search**
USPC D3/203.1, 203.5, 203.6, 203.8, 225–227,
D3/247–253, 273, 299, 300, 301, 303
CPC G09F 1/10
See application file for complete search history.

- D685,187 S * 7/2013 Willows D3/301
- D711,651 S * 8/2014 Koenig D3/303
- D716,045 S * 10/2014 Requa D3/249
- D724,843 S * 3/2015 Abbott D3/301
- D727,027 S * 4/2015 Winters D3/301
- D798,584 S * 10/2017 Beers D3/218

(Continued)

Primary Examiner — Holly E Thurman

(74) *Attorney, Agent, or Firm* — Grant’s Law Firm; Allan Howard Grant

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,889,860 A * 12/1932 Halpin A45C 1/00
70/68
- 2,474,495 A * 6/1949 Pollak A45C 1/04
224/245
- D358,731 S * 5/1995 McAlear D6/513
- D414,082 S * 9/1999 Keene D3/246
- D477,563 S * 7/2003 Hassett D12/416
- D487,346 S * 3/2004 Geisler D3/278
- D492,140 S * 6/2004 Hassett D12/416
- D584,510 S * 1/2009 Lown D3/301
- D598,651 S * 8/2009 Lown D3/263
- D606,309 S * 12/2009 Lown D3/301
- D610,809 S * 3/2010 Lown D3/303
- D611,253 S * 3/2010 Lown D3/301
- D641,163 S * 7/2011 Houston D3/289
- D652,214 S * 1/2012 Swartz D3/301
- D655,085 S * 3/2012 Holbrook D3/289
- D657,631 S * 4/2012 Swartz D14/250
- D672,556 S * 12/2012 Scarabelli D3/289
- D683,691 S * 6/2013 Rowsey D12/416

(57) **CLAIM**

I claim the ornamental design for a load bearing cover, as shown and as described.


DESCRIPTION

FIG. 1 is a front perspective view of the load bearing cover; FIG. 2 is a front view thereof; FIG. 3 is a back view thereof; FIG. 4 is a side view thereof; FIG. 5 is the other side view thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is back perspective view thereof, shown in a partially opened condition of use with unclaimed bolt free bullet proof protective shield; FIG. 9 is a front perspective view thereof, shown in an opened condition of use with unclaimed internal securing straps; and, FIG. 10 is another front perspective view thereof.

The upside-down “J” pattern in the figures depicts a hook and loop surface and forms part of the claimed design. The crisscross pattern of lines in the figures represents material that is understood to be distributed uniformly over the surface of the load bearing cover.

The broken lines in the figures depict environmental subject matter and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D807,651 S * 1/2018 Draughon D6/328
D856,677 S * 8/2019 Gill D3/299

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

Fig. 6





Fig. 7






Fig. 8




Fig. 10

Fig. 9