



US00D872086S

(12) **United States Design Patent**
Zhong et al.

(10) **Patent No.:** **US D872,086 S**
(45) **Date of Patent:** **** Jan. 7, 2020**

(54) **IDENTITY IDENTIFICATION DEVICE**

9/00295; G06K 9/00302; G06K 9/00308;
G06K 9/00315; G06K

(71) Applicant: **SHENZHEN SENSETIME TECHNOLOGY CO., LTD**, Shenzhen (CN)

(Continued)

(72) Inventors: **Conghong Zhong**, Shenzhen (CN); **Xubo Xiang**, Shenzhen (CN); **Jian Li**, Shenzhen (CN); **Zhili Hu**, Shenzhen (CN)

(56)

References Cited

U.S. PATENT DOCUMENTS

D317,912 S * 7/1991 Takai D14/375
D383,739 S * 9/1997 Gilgen D14/126

(Continued)

(73) Assignee: **SHENZHEN SENSETIME TECHNOLOGY CO., LTD.**, Shenzhen, Guangdong (CN)

FOREIGN PATENT DOCUMENTS

CN 304300835 S 9/2017
JP 1125498 S 9/2001
KR 30-0414401 S 5/2006

(**) Term: **15 Years**

Primary Examiner — Antoine Duval Davis

(21) Appl. No.: **29/650,956**

(74) *Attorney, Agent, or Firm* — Polson Intellectual Property Law, PC; Margaret Polson

(22) Filed: **Jun. 11, 2018**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for an identity identification device, as shown and described.

Dec. 14, 2017 (CN) 2017 3 0639395

DESCRIPTION


(51) **LOC (12) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/383**; D14/374

(58) **Field of Classification Search**
USPC D10/46; D14/371, 374, 383
CPC G09F 15/0025; G09F 15/0062; G09F 15/0068; G06F 1/16; G06F 1/1613; G06F 1/133308; G06F 1/1601; G06F 3/037; G06F 1/162; F16M 11/02; F16M 11/10; F16M 11/00; F16M 11/06; F16M 11/18; F16M 11/045; F16M 11/105; F16M 11/041; F16M 11/126; F16M 11/04; F16M 11/24; F16M 13/02; A47F 5/00; G03B 21/145; G06K 9/00221; G06K 9/00228; G06K 9/00234; G06K 9/00241; G06K 9/00248; G06K 9/00255; G06K 9/00261; G06K 9/00268; G06K 9/00275; G06K 9/00281; G06K 9/00288; G06K

FIG. 1 is a front view of an identity identification device showing the new design.
FIG. 2 is a rear view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a front, top and left perspective view thereof;
FIG. 8 is a rear, bottom and right perspective view thereof;
FIG. 9 is a cross-sectional view thereof taken along line 9-9 in FIG. 1; and,
FIG. 10 is a cross-sectional view thereof taken along line 10-10 in FIG. 1.
The broken lines in the drawings illustrate portions of the identity identification device that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(58) **Field of Classification Search**

CPC 2009/00322; G06K 2009/00328; G06K
9/00335; G06K 9/209; G06K 9/22; G06K
9/222; G06K 9/224; G06K 9/228; G06K
9/24

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D483,757 S * 12/2003 Olson D14/371
D831,106 S * 10/2018 Saeed D18/4.5

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10