



US00D872167S

(12) **United States Design Patent**
Balmer

(10) **Patent No.:** **US D872,167 S**

(45) **Date of Patent:** **** Jan. 7, 2020**

(54) **TRIPOD WITH CLAMP AND EXTENSIONS**

(71) Applicant: **Noah Balmer**, Santa Rosa, CA (US)

(72) Inventor: **Noah Balmer**, Santa Rosa, CA (US)

(73) Assignee: **Vitec Holdings Italia SRL**, Cassola (IT)

(**) Term: **15 Years**

(21) Appl. No.: **29/629,132**

(22) Filed: **Dec. 12, 2017**

(51) **LOC (12) Cl.** **16-05**

(52) **U.S. Cl.**
USPC **D16/244**

(58) **Field of Classification Search**
USPC D16/219, 237–250; D14/224, 229, 238, D14/251, 253, 447, 451, 457; D8/354, D8/355, 363, 373, 382–383, 394–396
CPC F16M 11/06–10; F16M 11/14; G02B 7/00–002; G03B 17/56; G03B 17/561–568; H04N 5/2253–2254; A45F 2200/0508–0533; A45F 5/00; A45F 5/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,647,565	A *	7/1997	Wei	F16M 11/10 248/168
D607,036	S *	12/2009	Darrow	D16/242
D607,917	S *	1/2010	Darrow	D16/242
7,891,615	B2 *	2/2011	Bevirt	F16M 11/40 248/163.1
8,197,149	B2 *	6/2012	Darrow	F16M 11/041 248/168
D795,882	S *	8/2017	Maldonado	D14/447
D829,806	S *	10/2018	Balmer	D16/242
D829,807	S *	10/2018	Balmer	D16/244
D839,339	S *	1/2019	Balmer	D16/244
D840,464	S *	2/2019	Balmer	D16/244

2009/0101772	A1 *	4/2009	Bevirt	F16M 11/40 248/180.1
2011/0042530	A1 *	2/2011	Phillips	F16M 11/242 248/121
2011/0199759	A1 *	8/2011	Bevirt	F16M 11/40 362/187
2013/0134268	A1 *	5/2013	Wessells	F16B 17/00 248/125.8
2015/0358044	A1 *	12/2015	Barstead	H04B 1/3888 455/575.1
2018/0266625	A1 *	9/2018	Balmer	F16M 11/40

OTHER PUBLICATIONS

Joby GorillaPod Mobile Rig (JB01533-BWW). [online] Published Apr. 2, 2018. Retrieved Nov. 26, 2018 from URL: https://www.amazon.com/Joby-GorillaPod-Mobile-Rig-JB01533-BWW/dp/B07BVP8K1W/ref=sr_1_14?s=photo&ie=UTF8&qid=1543251023&sr=1-14&keywords=joby+gorillapod.*

* cited by examiner

Primary Examiner — Vy N Koenig
(74) *Attorney, Agent, or Firm* — Michael A. Guth


(57) **CLAIM**

The ornamental design for a tripod with clamp and extensions, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a tripod with clamp and extensions. FIG. 2 is a back view of a tripod with clamp and extensions. FIG. 3 is a top view of a tripod with clamp and extensions. FIG. 4 is a bottom view of a tripod with clamp and extensions. FIG. 5 is a left side view of a tripod with clamp and extensions. FIG. 6 is a right side view of a tripod with clamp and extensions; and, FIG. 7 is a perspective view of a tripod with clamp and extensions.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7