

US00D872330S

(12) **United States Design Patent** (10) **Patent No.:** **US D872,330 S**
Smith (45) **Date of Patent:** **** Jan. 7, 2020**

(54) **LIGHTING DEVICE**

(71) Applicant: **Energizer Brands, LLC**, St. Louis,
MO (US)

(72) Inventor: **Jeffrey James Smith**, Honeoye Falls,
NY (US)

(73) Assignee: **Energizer Brands, LLC**, St. Louis,
MO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/659,390**

(22) Filed: **Aug. 8, 2018**

(51) **LOC (12) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/39**

(58) **Field of Classification Search**
USPC D26/1, 24, 25, 43, 60, 110, 113, 28, 37,
D26/61, 85, 102, 138-140; 362/249.14,
362/311.02, 311.13
CPC F21S 4/00; F21S 4/10; F21S 4/15; F21S
4/26; F21S 2/00; F21V 11/02; F21V
11/06; F21V 17/10; F21V 17/16; F21V
21/0296; F21V 21/0054; F21V 21/008;
F21V 21/00; F21V 21/08; F21V 23/00;
F21V 23/04; F21V 33/00; F21W 2121/00;
F21W 2121/04; F21Y 2115/10; F21L
4/00; F21L 4/02; F21L 4/04; F21L 4/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D426,330 S 6/2000 Cramer
D470,615 S 2/2003 Janice et al.
D472,998 S 4/2003 Paris et al.
D488,140 S 4/2004 Hanselman et al.

D492,052 S 6/2004 Schnell
D506,846 S 6/2005 Kang et al.
D547,475 S 7/2007 Xu
D552,278 S 10/2007 Spartano et al.
D560,009 S 1/2008 Spartano et al.
D560,298 S 1/2008 Spartano et al.
D566,310 S 4/2008 Alessio
D568,510 S 5/2008 Shiu
D573,736 S 7/2008 Poon
D575,888 S 8/2008 Shiu
D581,567 S 11/2008 Crawford et al.
D583,971 S 12/2008 Castellucci et al.
D590,531 S 4/2009 Ma
D590,975 S 4/2009 Ma
D592,782 S 5/2009 Hine et al.

(Continued)

Primary Examiner — Abraham Bahta

(74) Attorney, Agent, or Firm — Alston & Bird LLP

(57) **CLAIM**


The ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of the lighting device with a strap attached thereto showing my new design.
FIG. 2 is a top front perspective view of the lighting device of FIG. 1 shown without the example strap.
FIG. 3 is a front view the lighting device of FIG. 1.
FIG. 4 is a back view of the lighting device of FIG. 1.
FIG. 5 is a left side view of the lighting device of FIG. 1.
FIG. 6 is a right side view of the lighting device of FIG. 1.
FIG. 7 is a top view of the lighting device of FIG. 1.
FIG. 8 is a bottom view of the lighting device of FIG. 1; and,
FIG. 9 is a bottom rear perspective view of the lighting device of FIG. 1.

The broken lines shown are provided for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D596,770 S

7/2009

Hine et al.

D615,227 S

5/2010

Hine et al.

D620,160 S

7/2010

Kang et al.

D625,862 S

10/2010

Fitch et al.

D625,863 S

10/2010

Kingston et al.

D631,587 S

1/2011

Hine et al.

7,922,349 B2

4/2011

Hunnewell et al.

D648,468 S

11/2011

Gibson

D651,732 S

1/2012

Hopkins

D658,323 S

4/2012

Freschl

D683,489 S

5/2013

Lee

8,517,559 B1

8/2013

Freschl

D696,803 S

12/2013

Kingston et al.

D702,863 S

4/2014

Kotsis

D703,355 S

4/2014

Kotsis

D707,867 S

*

6/2014

Kotsis

.....

D26/39

D711,028 S

8/2014

Pritchett

D736,977 S

8/2015

Petzl

D736,978 S

*

8/2015

Petzl

.....

D26/39

D736,979 S

8/2015

Petzl

D736,980 S

8/2015

Petzl

D742,051 S

10/2015

Abernethy et al.

D743,597 S

11/2015

Abernethy et al.

D744,134 S

11/2015

Hine et al.

D752,257 S

3/2016

Hine et al.

D752,258 S

3/2016

Hine et al.

D752,259 S

3/2016

Hine et al.

D752,260 S

3/2016

Hine et al.

D752,261 S

3/2016

Ma

D752,790 S

3/2016

Hine et al.

D806,294 S

12/2017

Nguyen et al.

D813,432 S

3/2018

Koshiba

D814,083 S

3/2018

Green

D824,059 S

*

7/2018

Inskeep

.....

D26/39

D830,601 S

10/2018

Petzl

D830,602 S

10/2018

Melchior

D836,810 S

*

12/2018

DeBrunner

.....

D26/39

D844,869 S

4/2019

Green

D845,526 S

4/2019

Windom et al.

D851,307 S

6/2019

Sharrah et al.

D861,212 S

*

9/2019

Windom

.....

D26/39

D861,940 S

*

10/2019

Kunzendorf

.....

D26/39

2008/0025036 A1

1/2008

Takada et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9