



US00D872353S

(12) **United States Design Patent**  
**Roys et al.**

(10) **Patent No.:** **US D872,353 S**  
(45) **Date of Patent:** **\*\* Jan. 7, 2020**

- (54) **END CAP FOR AN LED STICK**
- (71) Applicants: **Curtis Alan Roys**, Fredericksburg, TX (US); **Sidney Howard Norton**, Odessa, TX (US)
- (72) Inventors: **Curtis Alan Roys**, Fredericksburg, TX (US); **Sidney Howard Norton**, Odessa, TX (US)

9,441,819	B2 *	9/2016	Randolph	.....	F21K 9/00
9,651,224	B1 *	5/2017	Burgess	.....	F21V 17/16
D797,323	S *	9/2017	Yang	.....	D26/3
D803,470	S *	11/2017	Austin, III	.....	D26/118
D809,703	S *	2/2018	Lin	.....	D26/138
D811,627	S	2/2018	Roys		
9,995,471	B2 *	6/2018	Huang	.....	F21V 23/005
D822,889	S *	7/2018	Cartellone	.....	D26/138
D825,829	S *	8/2018	Guo	.....	D26/63
10,101,011	B2 *	10/2018	Markey	.....	F21V 14/04

(Continued)

- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/641,063**
- (22) Filed: **Mar. 19, 2018**

*Primary Examiner* — Mark A Goodwin  
*Assistant Examiner* — Benjamin M Weeks  
 (74) *Attorney, Agent, or Firm* — Scheinberg & Associates, PC; Michael O. Scheinberg; John B. Kelly

**Related U.S. Application Data**

- (62) Division of application No. 15/219,246, filed on Jul. 25, 2016, now Pat. No. 10,222,005, which is a division of application No. 29/568,321, filed on Jun. 16, 2016, now Pat. No. Des. 811,627.

- (51) **LOC (12) Cl.** ..... **26-05**
- (52) **U.S. Cl.**  
USPC ..... **D26/138**

- (58) **Field of Classification Search**  
USPC .... D26/1, 24, 26–28, 37–50, 35, 36, 61, 62, D26/63, 64, 65, 66, 71, 72, 73, 74, 75, D26/87, 89, 76, 78, 79, 80, 81, 82, 83, D26/85, 86, 88, 90, 113, 118, 119, 120, D26/121  
CPC ..... F21Y 2107/30; F21V 29/507  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D514,515	S *	2/2006	Wiskerke	.....	D13/134
D516,511	S *	3/2006	Wiskerke	.....	D13/134
D603,085	S *	10/2009	Kovacs	.....	D26/113
D603,086	S *	10/2009	Zayas	.....	D26/113
D616,822	S *	6/2010	Zayas	.....	D13/134
D744,127	S *	11/2015	Glachman	.....	D26/3


(57) **CLAIM**

We claim the ornamental design for an end cap for an LED stick, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of an end cap for an LED stick, showing my new design;  
 FIG. 2 is front elevation thereof;  
 FIG. 3 is rear elevation thereof;  
 FIG. 4 is a right elevation thereof;  
 FIG. 5 is a top plan view thereof; and  
 FIG. 6 is a cross-sectional view thereof.  
 FIG. 7 is an isometric view of a second embodiment of an end cap for an LED stick, showing my new design;  
 FIG. 8 is front elevation thereof;  
 FIG. 9 is rear elevation thereof;  
 FIG. 10 is a right elevation thereof;  
 FIG. 11 is a top plan view thereof;  
 FIG. 12 is a cross-sectional view thereof; and,  
 FIG. 13 is an exploded view thereof.  
 The left elevation is a mirror image of the right elevation and the bottom plan view is the same as the top plan view, but rotated 180 degrees.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D840,083 S \* 2/2019 Crosby ..... D26/74  
D840,084 S \* 2/2019 Crosby ..... D26/74  
D844,769 S \* 4/2019 McRoberts ..... D23/411  
2017/0023186 A1 1/2017 Norton et al.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12






FIG. 13