US00D872353S

(12) United States Design Patent

Roys et al.

(10) Patent No.: US D872,353 S
(45) Date of Patent: ** Jan. 7, 2020

(54) **END CAP FOR AN LED STICK**

(71) Applicants: **Curtis Alan Roys**, Fredericksburg, TX (US); **Sidney Howard Norton**, Odessa, TX (US)

(72) Inventors: **Curtis Alan Roys**, Fredericksburg, TX (US); **Sidney Howard Norton**, Odessa, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/641,063**

(22) Filed: **Mar. 19, 2018**

Related U.S. Application Data

(62) Division of application No. 15/219,246, filed on Jul. 25, 2016, now Pat. No. 10,222,005, which is a division of application No. 29/568,321, filed on Jun. 16, 2016, now Pat. No. Des. 811,627.

(51) **LOC (12) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/138**

(58) **Field of Classification Search**
USPC D26/1, 24, 26–28, 37–50, 35, 36, 61, 62, D26/63, 64, 65, 66, 71, 72, 73, 74, 75, D26/87, 89, 76, 78, 79, 80, 81, 82, 83, D26/85, 86, 88, 90, 113, 118, 119, 120, D26/121
CPC F21Y 2107/30; F21V 29/507
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D514,515	S *	2/2006	Wiskerke	D13/134
D516,511	S *	3/2006	Wiskerke	D13/134
D603,085	S *	10/2009	Kovacs	D26/113
D603,086	S *	10/2009	Zayas	D26/113
D616,822	S *	6/2010	Zayas	D13/134
D744,127	S *	11/2015	Glachman	D26/3
9,441,819	B2 *	9/2016	Randolph	F21K 9/00
9,651,224	B1 *	5/2017	Burgess	F21V 17/16
D797,323	S *	9/2017	Yang	D26/3
D803,470	S *	11/2017	Austin, III	D26/118
D809,703	S *	2/2018	Lin	D26/138
D811,627	S	2/2018	Roys	
9,995,471	B2 *	6/2018	Huang	F21V 23/005
D822,889	S *	7/2018	Cartellone	D26/138
D825,829	S *	8/2018	Guo	D26/63
10,101,011	B2 *	10/2018	Markey	F21V 14/04

(Continued)

Primary Examiner — Mark A Goodwin
Assistant Examiner — Benjamin M Weeks
(74) *Attorney, Agent, or Firm* — Scheinberg & Associates, PC; Michael O. Scheinberg; John B. Kelly

(57) **CLAIM**

We claim the ornamental design for an end cap for an LED stick, as shown and described.

DESCRIPTION

FIG. **1** is an isometric view of an end cap for an LED stick, showing my new design;
FIG. **2** is front elevation thereof;
FIG. **3** is rear elevation thereof;
FIG. **4** is a right elevation thereof;
FIG. **5** is a top plan view thereof; and
FIG. **6** is a cross-sectional view thereof.
FIG. **7** is an isometric view of a second embodiment of an end cap for an LED stick, showing my new design;
FIG. **8** is front elevation thereof;
FIG. **9** is rear elevation thereof;
FIG. **10** is a right elevation thereof;
FIG. **11** is a top plan view thereof;
FIG. **12** is a cross-sectional view thereof; and,
FIG. **13** is an exploded view thereof.
The left elevation is a mirror image of the right elevation and the bottom plan view is the same as the top plan view, but rotated 180 degrees.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D840,083	S *	2/2019	Crosby	D26/74
D840,084	S *	2/2019	Crosby	D26/74
D844,769	S *	4/2019	McRoberts	D23/411
2017/0023186	A1	1/2017	Norton et al.	

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13