



US00D872391S

(12) **United States Design Patent** (10) **Patent No.:** **US D872,391 S**  
**Crane** (45) **Date of Patent:** **\*\* Jan. 7, 2020**

(54) **DOG TOY WITH SURFACE TREATMENT**

(71) Applicant: **DELCA CORPORATION**, San Clemente, CA (US)

(72) Inventor: **Sabine S. Crane**, San Clemente, CA (US)

(73) Assignee: **DELCA CORPORATION**

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/656,942**

(22) Filed: **Jul. 17, 2018**

(51) **LOC (12) Cl.** ..... **30-99**

(52) **U.S. Cl.**  
USPC ..... **D30/160**

(58) **Field of Classification Search**  
USPC ..... D21/398, 400, 402, 412, 415, 426, 436, D21/439, 440, 441, 443, 455, 460-462, D21/466-468, 479, 495, 563, 656, 712, D21/713, 788, 799.1, 470, 681; D24/211, D24/214, 215, 193-195; D30/160, 112, D30/119; D1/125-127

CPC ..... A63H 5/00; A63H 33/26; A63H 33/18; A63H 29/22; A63H 29/24; A63H 2200/00; A63H 11/00; A63H 13/00; A63H 18/02; A63H 18/14; A63H 18/16; A63H 29/00; A63H 33/009; A63H 33/22; A63H 33/3055; A63H 3/003; A63H 3/006; A63H 3/008; A63H 3/24; A63H 3/28; A63H 3/31; A63H 3/36; A63H 9/00; A63B 59/20; A63B 69/406; A63B 47/04; A63B 2220/51; A63B 2220/53; A63B 2220/56; A63B 2220/805; A63B 2071/0625; A63B 2071/063; A63B 2220/17; A63B 2220/18; A63B 2220/40; A63B 2220/803; A63B 2220/833; A63B 43/004; A63B 43/06; A63B 71/0622; A63B 2071/0602; A63B 21/0055; A63B 2207/02; A63B 2225/54; A63B 69/0053; A63B 2047/043

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,150,761 A \* 8/1915 Hartman ..... A63F 7/044  
273/112  
D183,998 S \* 11/1958 McCormick ..... D11/86  
4,203,941 A \* 5/1980 Brooker ..... A63B 37/0003  
264/250  
D369,193 S \* 4/1996 Imswiler ..... D21/713  
5,588,648 A \* 12/1996 Stebbins ..... A63B 37/02  
473/451

(Continued)

*Primary Examiner* — Sheryl Lane

*Assistant Examiner* — Aula Soroush

(74) *Attorney, Agent, or Firm* — Andrew S. Dallmann;  
Eastman McCartney Dallmann LLP


(57) **CLAIM**

The ornamental design for a dog toy with surface treatment, as shown and described.

**DESCRIPTION**

FIG. 1 is a top-left perspective view of a dog toy with surface treatment;  
FIG. 2 is a bottom-right perspective view of the dog toy with surface treatment;  
FIG. 3 is a top plan view of the dog toy with surface treatment;  
FIG. 4 is a bottom plan view of the dog toy with surface treatment;  
FIG. 5 is a front elevational view of the dog toy with surface treatment;  
FIG. 6 is a back elevational view of the dog toy with surface treatment;  
FIG. 7 is a left elevational view of the dog toy with surface treatment; and,  
FIG. 8 is a right elevational view of the dog toy with surface treatment.

**1 Claim, 4 Drawing Sheets**




(56)

**References Cited**


U.S. PATENT DOCUMENTS

6,354,970	B1 *	3/2002	Reinke .....	A63B 37/00 473/600
D516,145	S *	2/2006	Oblack .....	D21/713
D577,396	S *	9/2008	Burger .....	D21/713
D609,290	S *	2/2010	Oblack .....	D21/713
D769,377	S *	10/2016	Wolff .....	D21/398
D838,417	S *	1/2019	Jiang .....	D30/160
D840,116	S *	2/2019	Steinkraus .....	D30/160
D848,683	S *	5/2019	Pinto .....	D30/160
D848,684	S *	5/2019	Renforth .....	D30/160
D849,960	S *	5/2019	Saito .....	D24/211

\* cited by examiner




**FIG. 1**




**FIG. 2**







**FIG. 3**



**FIG. 4**




**FIG. 5**




**FIG. 6**





**FIG. 7**



**FIG. 8**