



US00D872692S

(12) **United States Design Patent** (10) **Patent No.:** **US D872,692 S**
Li (45) **Date of Patent:** **** Jan. 14, 2020**

(54) **ENERGY STORAGE POWER SUPPLY**

(71) Applicant: **Shenzhen Pilot Technology Co., LTD,**
GuangDong Province (CN)

(72) Inventor: **Kexiang Li,** GuangDong Province (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/673,964**

(22) Filed: **Dec. 18, 2018**

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**

USPC **D13/108;** D13/103

(58) **Field of Classification Search**

USPC D13/103-110, 118, 119, 184, 199;
D14/251, 253, 432, 434

CPC Y02E 60/10; Y02E 60/12; Y02E 60/122;
Y02E 60/124; Y02E 60/50; H01M 2/02;
H01M 2/022; H01M 2/0202; H01M
2/0207; H01M 2/0212; H01M 2/1061;
H01M 2/1022; H01M 2/1055; H01M
2/1066; H01M 2/105; H01M 2/20; H01M
2/202; H01M 2/204; H01M 2/206; H01M
10/44; H01M 10/46; H01M 10/465;
H01M 10/482; H01M 2200/30; H01M
2250/30; H01M 2250/40; H02J 7/00;
H02J 7/0003; H02J 7/0011; H02J 7/0013;
H02J 7/0054; H02J 7/0055; H02J 7/0057;
H02J 2007/0062

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D602,430 S * 10/2009 Green D13/110
D695,680 S * 12/2013 Workman D13/103
D755,715 S * 5/2016 Inskip D13/107
D762,165 S * 7/2016 Rowe D13/103

D762,193 S * 7/2016 Petersen D14/215
D764,403 S * 8/2016 Azuma D13/103
D773,992 S * 12/2016 Krantz D13/110
D813,161 S * 3/2018 Ortakales D13/110
D832,785 S * 11/2018 Rostami D13/108
D838,240 S * 1/2019 Rostami D13/108
D838,242 S * 1/2019 Andre D13/108
D845,233 S * 4/2019 Zeng D13/108
D845,894 S * 4/2019 Clark D13/108
D846,494 S * 4/2019 Takahashi D13/103
2011/0197882 A1 * 8/2011 Truschel A61M 16/125
128/204.18

* cited by examiner

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Christy M Nemeth

(74) *Attorney, Agent, or Firm* — Prakash Nama; Global
IP Services, PLLC


(57) **CLAIM**

The ornamental design for an energy storage power supply,
as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an energy storage power
supply showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a rear, bottom perspective view thereof;
FIG. 8 is a front, top perspective view thereof; and,
FIG. 9 is a rear, top perspective view of the energy storage
power supply, shown in an open configuration.
The broken lines in the drawings are for the purpose of
illustrating portions of the energy storage power supply that
form no part of the claimed design.

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9