



US00D872780S

(12) **United States Design Patent**
Sato et al.

(10) **Patent No.:** **US D872,780 S**
(45) **Date of Patent:** **** Jan. 14, 2020**

(54) **DRESSER COMPONENT FOR GRINDSTONE**

(71) Applicant: **SUMITOMO ELECTRIC
HARDMETAL CORP.**, Itami-shi (JP)

(72) Inventors: **Takeshi Sato**, Itami (JP); **Tadashi Yamaguchi**, Itami (JP); **Shinichiro Yurugi**, Itami (JP)

(73) Assignee: **Sumitomo Electric Hardmetal Corp.**, Itami-shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/627,926**

(22) Filed: **Nov. 30, 2017**

(30) **Foreign Application Priority Data**

Jun. 1, 2017 (JP) 2017-011864
Jun. 1, 2017 (JP) 2017-011865
Oct. 3, 2017 (JP) 2017-021871

(51) **LOC (12) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/126**

(58) **Field of Classification Search**
USPC D8/7, 14, 20, 70, 90, 499; D15/123, 126,
D15/129, 130, 131, 138, 139, 140;
D19/187; D21/372; D28/7
CPC B24B 49/04; B24B 53/08; B24B 53/12;
B24B 53/017; B24D 5/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,431,475 A * 10/1922 MacDonald B02C 17/20
241/184
1,864,542 A * 6/1932 Holzapfel B02C 17/20
241/184

2,847,169 A * 8/1958 Hartman B02C 17/20
134/169 R
2,947,124 A * 8/1960 Madigan B24B 31/00
451/330
2,978,850 A * 4/1961 Gleszer B22F 3/00
451/330
4,539,971 A * 9/1985 Moeller B24B 53/08
125/11.07
4,634,062 A * 1/1987 Berchem C22C 38/44
241/184
6,361,410 B1 * 3/2002 Sakai B24B 19/06
125/11.01
D487,279 S * 3/2004 Kazama D15/126
D491,961 S * 6/2004 Kazama D15/126
D504,693 S * 5/2005 Kazama D15/126
D619,153 S * 7/2010 Davidson D15/139
D659,548 S * 5/2012 de France D9/694

(Continued)

Primary Examiner — Patricia A Palasik

(74) *Attorney, Agent, or Firm* — Baker Botts L.L.P.;
Michael A. Sartori



(57) **CLAIM**

The ornamental design for a dresser component for a grindstone, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a dresser component for a grindstone in accordance with a first embodiment of the present design;
FIG. 2 is a rear view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a perspective view thereof; and,
FIG. 8 is a referential view showing the state in use of the dresser component for a grindstone.
The broken lines shown in the referential views represent portions of the dresser component for a grindstone that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D743,457 S * 11/2015 Bodurov D15/126
9,597,767 B2 * 3/2017 Ishigami B22F 3/225
D789,600 S * 6/2017 Nicoline D28/7
D796,114 S * 8/2017 Nicoline D28/7
D806,175 S * 12/2017 Fjelstad D21/373
D812,810 S * 3/2018 Celia D28/7
D813,452 S * 3/2018 Celia D28/7
D819,885 S * 6/2018 Celia D28/7
D822,277 S * 7/2018 Xavier D28/7
D849,068 S * 5/2019 Hirano D15/126
D849,069 S * 5/2019 Hirano D15/126
D849,806 S * 5/2019 Hirano D15/126
2011/0297775 A1 * 12/2011 Bodurov B02C 17/20
241/291
2012/0071074 A1 * 3/2012 Masuzaki B24D 3/00
451/540
2014/0013673 A1 * 1/2014 Takehara B24D 3/14
51/307
2014/0191069 A1 * 7/2014 Bodurov B02C 17/20
241/184
2019/0152021 A1 * 5/2019 Kitamura B01D 39/00

* cited by examiner

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG.7




FIG.8

