



US00D872921S

(12) **United States Design Patent**  
**Deng**

(10) **Patent No.:** **US D872,921 S**  
(45) **Date of Patent:** **\*\* Jan. 14, 2020**

(54) **EXPLOSION-PROOF LIGHT**

**DESCRIPTION**

- (71) Applicant: **Jinsheng Deng**, Rancho Dominguez, CA (US)
- (72) Inventor: **Jinsheng Deng**, Rancho Dominguez, CA (US)
- (73) Assignee: **EVERY INDUSTRY LLC**, Rancho Dominguez, CA (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/655,986**
- (22) Filed: **Jul. 10, 2018**
- (51) **LOC (12) Cl.** ..... **26-05**
- (52) **U.S. Cl.**  
USPC ..... **D26/71**
- (58) **Field of Classification Search**  
USPC ..... D26/71, 72, 76, 78, 88, 89, 118  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D744,141 S *	11/2015	Bobel	.....	D26/63
D782,720 S *	3/2017	Moghal	.....	D26/67
D796,719 S *	9/2017	Zhu	.....	D26/63
D831,872 S *	10/2018	Sinai	.....	D26/71
D850,694 S *	6/2019	Pan	.....	D26/71
D854,721 S *	7/2019	Sohn	.....	D26/71
D856,566 S *	8/2019	Deng	.....	D26/71
2016/0186980 A1 *	6/2016	Ladewig	.....	F21S 2/00 362/234
2016/0320046 A1 *	11/2016	Duckworth	.....	F21V 21/108
2017/0307197 A1 *	10/2017	Clark	.....	F21S 8/086

\* cited by examiner


*Primary Examiner* — Clare E Heflin

(57) **CLAIM**

The ornamental design for the explosion-proof light, as shown and described.

FIG. 1 is a perspective view of the explosion-proof light showing a first embodiment of my new design;  
 FIG. 2 is a front elevation view thereof;  
 FIG. 3 is a rear elevation view thereof;  
 FIG. 4 is a left side elevation view thereof;  
 FIG. 5 is a right side elevation view thereof;  
 FIG. 6 is a top plan view thereof;  
 FIG. 7 is a bottom plan view thereof;  
 FIG. 8 is another perspective view thereof;  
 FIG. 9 is a perspective view thereof with a mounting bracket shown for illustrative purposes only;  
 FIG. 10 is a perspective view of the explosion-proof light showing a second embodiment of my new design;  
 FIG. 11 is a front elevation view thereof;  
 FIG. 12 is a rear elevation view thereof;  
 FIG. 13 is a left side elevation view thereof;  
 FIG. 14 is a right side elevation view thereof;  
 FIG. 15 is a top plan view thereof;  
 FIG. 16 is a bottom plan view thereof;  
 FIG. 17 is another perspective view thereof;  
 FIG. 18 is a perspective view thereof with a mounting bracket shown for illustrative purposes only;  
 FIG. 19 is a perspective view of the explosion-proof light showing a third embodiment of my new design;  
 FIG. 20 is a front elevation view thereof;  
 FIG. 21 is a rear elevation view thereof;  
 FIG. 22 is a left side elevation view thereof;  
 FIG. 23 is a right side elevation view thereof;  
 FIG. 24 is a top plan view thereof;  
 FIG. 25 is a bottom plan view thereof;  
 FIG. 26 is another perspective view thereof; and,  
 FIG. 27 is a perspective view thereof with a mounting bracket shown for illustrative purposes only.  
 The broken lines shown on the drawings illustrate portions of the explosion-proof light that form no part of the claimed design.

**1 Claim, 21 Drawing Sheets**






Fig. 1






Fig.2




Fig.3






Fig.4




Fig.5




Fig.6




Fig.7




Fig.8






Fig.9






Fig. 10




Fig. 11






Fig. 12




Fig. 13




Fig. 14






Fig. 15




Fig. 16




Fig.17






Fig. 18




Fig. 19






Fig.20




Fig.21






Fig.22




Fig.23




Fig.24




Fig.25






Fig.26




Fig.27