



US00D872979S

(12) **United States Design Patent**
Francis et al.

(10) **Patent No.:** **US D872,979 S**
(45) **Date of Patent:** **** Jan. 21, 2020**

- (54) **DIELECTRIC BOOT**
- (71) Applicant: **Honeywell International Inc.**, Morris Plains, NJ (US)
- (72) Inventors: **Stephen A. Francis**, Atkinson, NH (US); **Linan Zhao**, Shanghai (CN); **Mary Dalakouras**, Chicago, IL (US); **Xuezheng Cui**, Shanghai (CN)
- (73) Assignee: **HONEYWELL INTERNATIONAL INC.**, Morris Plains, NJ (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/568,395**
- (22) Filed: **Jun. 17, 2016**
- (51) **LOC (12) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/910**
- (58) **Field of Classification Search**
USPC D2/897-900, 909-912, 946, 970, 972, D2/974
CPC .. A43B 5/00; A43B 23/00; A43B 7/00; A43B 5/002; A43B 23/02
See application file for complete search history.

- D606,289 S * 12/2009 Hubner A43B 3/16 D2/910
- D638,213 S * 5/2011 Funck D2/910
- 8,307,568 B2 * 11/2012 Bell A43B 7/34 36/4
- D691,352 S * 10/2013 Scherf D2/910
- D728,206 S * 5/2015 Payne D2/910

OTHER PUBLICATIONS

Honeywell Salisbury, Electriguard 20kV Dielectric Overboots, 2015, www.salisburybyhoneywell.com, 4 pages (Year: 2015).*

* cited by examiner

Primary Examiner — Rashida C. Walshon
(74) *Attorney, Agent, or Firm* — Alston & Bird LLP

(57) **CLAIM**

The ornamental design for a dielectric boot, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from the instep side of the boot; FIG. 2 is a side elevation view of the side of the boot opposite from the instep; FIG. 3 is a side elevation view of the instep side of the boot; FIG. 4 is a front view of the boot; FIG. 5 is a rear view of the boot; FIG. 6 is a top plan view of the boot; and, FIG. 7 is a bottom view of the boot. In FIGS. 1-7, the broken lines depict environmental or contextual subject matter only and form no part of the claimed design.



1 Claim, 4 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
2,498,437 A * 2/1950 Hollier A43B 3/16 36/4
D253,137 S * 10/1979 Foldes D2/908
D394,539 S * 5/1998 Baker D2/910
D403,142 S * 12/1998 Cook D2/910
D477,454 S * 7/2003 Shattuck D2/905





Fig. 1






Fig. 5




Fig. 4




Fig. 6




Fig. 7