



US00D873035S

(12) **United States Design Patent** (10) **Patent No.:** **US D873,035 S**
Hong (45) **Date of Patent:** **** Jan. 21, 2020**

(54) **TIERED HANGER** 2,723,765 A * 11/1955 Meredith A47G 25/743
211/119
(71) Applicant: **Whitmor, Inc.**, Southaven, MS (US) 2,998,172 A 8/1961 Stefano
D196,404 S * 9/1963 Howe 223/DIG. 1
(72) Inventor: **He Hong**, Guangxi (CN) D207,076 S * 2/1967 Bertram D6/315
3,584,746 A 6/1971 Marchman
(73) Assignee: **Whitmor, Inc.**, Southaven, MS (US) 4,034,865 A * 7/1977 Batts A47F 7/19
211/118
(**) Term: **15 Years** 4,058,222 A 11/1977 Singer
4,261,490 A 4/1981 Schwartzstein
D281,931 S * 12/1985 Arnold D6/317
(21) Appl. No.: **29/681,258** 4,709,838 A 12/1987 Campbell
5,040,707 A 8/1991 Ayano
(22) Filed: **Feb. 22, 2019** D320,118 S * 9/1991 Testa D6/317
D320,699 S * 10/1991 Beloe D6/317
D323,941 S * 2/1992 Schwartz D6/317

Related U.S. Application Data

(62) Division of application No. 29/636,173, filed on Feb. 6, 2018, now Pat. No. Des. 844,335.
(51) **LOC (12) Cl.** **06-08**
(52) **U.S. Cl.**
USPC **D6/319; D6/315**
(58) **Field of Classification Search**
USPC D6/315–328
CPC A47G 25/32; A47G 25/18; A47G 25/183;
A47G 25/28; A47G 25/743; A47G 25/14;
A47G 25/16; A47G 25/1457; A47G
25/20; A47G 25/24; A47G 2025/4092;
A47G 25/1442; A47G 25/40
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

1,767,545 A * 6/1930 Mossbacher A47G 25/746
211/106
D126,829 S * 4/1941 Avery D6/315
2,303,678 A 12/1942 Bracken
D152,591 S * 2/1949 Canner D6/324
2,506,510 A * 5/1950 Longwell A47G 25/18
223/91
2,593,356 A * 4/1952 Smith A47G 25/18
211/119

(Continued)

Primary Examiner — Lauren R Calve

(74) *Attorney, Agent, or Firm* — Stites & Harbison
PLLC; Richard S. Myers, Jr.


(57) **CLAIM**

The ornamental design for a tiered hanger, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tiered hanger of the present invention;
FIG. 2 is a front elevation view of the tiered hanger shown in FIG. 1;
FIG. 3 is a left side elevation view of the tiered hanger shown in FIG. 1;
FIG. 4 is a right side elevation view of the tiered hanger shown in FIG. 1;
FIG. 5 is a top plan view of the tiered hanger shown in FIG. 1;
FIG. 6 is a bottom plan view of the tiered hanger shown in FIG. 1; and,
FIG. 7 is a rear elevation view of the tiered hanger shown in FIG. 1.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,107,996	A	4/1992	Whittaker	
D327,173	S *	6/1992	De Leu	D6/317
D327,579	S	7/1992	Fildan	
D333,731	S *	3/1993	Klein	D32/58
D433,821	S	11/2000	Brutus	
6,675,997	B1	1/2004	Gouldson	
D498,936	S	11/2004	Gouldson	
D628,397	S *	12/2010	Fort	D6/319
D665,179	S *	8/2012	Pelosi	D6/317
8,397,961	B2	3/2013	Viehe	
D688,471	S *	8/2013	Cohen	D6/318
D688,472	S *	8/2013	Cohen	D6/319
D720,545	S *	1/2015	Kilpatrick	D6/317
9,060,635	B1	6/2015	Neal	
D737,583	S *	9/2015	Li	D6/319
D766,600	S *	9/2016	Barre	D6/319
D805,792	S *	12/2017	So	D6/317
D844,335	S *	4/2019	Hong	D6/319
2004/0144812	A1	7/2004	Chen	
2013/0075434	A1	3/2013	Hilmer	
2013/0087587	A1	4/2013	Hickey	

* cited by examiner




FIG. 1






FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7