



US00D873074S

(12) **United States Design Patent**
Diefenbach et al.

(10) **Patent No.:** **US D873,074 S**
(45) **Date of Patent:** **** Jan. 21, 2020**

- (54) **SMART BOTTLE**
- (71) Applicants: **Andreas Diefenbach**, Ludwigsburg (DE); **Stefan Andreesen**, Esslingen (DE); **Moritz Kemper**, Stuttgart (DE)
- (72) Inventors: **Andreas Diefenbach**, Ludwigsburg (DE); **Stefan Andreesen**, Esslingen (DE); **Moritz Kemper**, Stuttgart (DE)
- (73) Assignee: **RIPRUP Company S.A.**, St. Peter Port (GG)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/630,214**
- (22) Filed: **Dec. 20, 2017**
- (51) **LOC (12) Cl.** **07-01**
- (52) **U.S. Cl.**
USPC **D7/510; D7/523; D7/532**
- (58) **Field of Classification Search**
USPC D7/507, 509, 510, 511, 514, 515, 516, D7/519, 523, 533, 534, 535, 536, 608, D7/300.1, 300.2, 629, 300, 401.1, 392.1, D7/396.2, 318, 317, 532; D9/500, 501, D9/502, 503, 504, 435, 436, 516; D24/197
CPC A47G 19/22; A47G 19/2288; A47G 19/2205; A47G 19/2211; A47G 19/2266; A47G 19/2272; B65D 47/066; A45F 3/16; A47J 41/02; A47J 41/0088
See application file for complete search history.

| | | | | |
|----------------|---------|-----------------|-------|-----------------------|
| D392,565 S * | 3/1998 | Blackburn | | D9/500 |
| D452,826 S * | 1/2002 | Bezek | | D9/503 |
| D488,675 S * | 4/2004 | Moore | | D7/608 |
| D489,627 S * | 5/2004 | Klitsner | | D7/300.1 |
| D576,047 S * | 9/2008 | Reihle | | D9/500 |
| 7,509,839 B2 * | 3/2009 | Durantou | | A45D 33/26 206/581 |
| D613,183 S * | 4/2010 | Overgaard | | D9/719 |
| D614,031 S * | 4/2010 | Creed | | D9/454 |
| D621,283 S * | 8/2010 | Overgaard | | D9/719 |
| D630,474 S * | 1/2011 | Gilbert | | D7/608 |
| D652,682 S * | 1/2012 | Eyal | | D7/510 |
| D655,167 S * | 3/2012 | Weber-Trinkfass | | D9/454 |
| D672,198 S * | 12/2012 | Soltz | | D7/507 |
| D691,885 S * | 10/2013 | Potts | | D9/500 |
| D695,616 S * | 12/2013 | Li | | D9/503 |
| D702,092 S * | 4/2014 | Mettler | | D7/608 |
| D735,514 S * | 8/2015 | Cheung | | D7/300 |
| D758,800 S * | 6/2016 | Hayslett | | D7/300.1 |
| D769,067 S * | 10/2016 | Cheung | | D7/399 |
| D796,901 S * | 9/2017 | Pisarevsky | | D7/510 |
| D804,906 S * | 12/2017 | Diener | | D7/510 |
| D811,883 S * | 3/2018 | Arthachinda | | D9/503 |
| D839,050 S * | 1/2019 | Sibbert | | D7/510 |
| D845,782 S * | 4/2019 | Faillant-Dumas | | D9/503 |
| D857,462 S * | 8/2019 | Silsby | | D7/608 |

(Continued)

Primary Examiner — Jae Liang
(74) *Attorney, Agent, or Firm* — Bryan W. Bockhop;
Bockhop Intellectual Property Law, LLC

(57) **CLAIM**

The ornamental design for a smart bottle, as shown and described.



DESCRIPTION

FIG. 1 is a top, front isometric view of a smart bottle showing my new design;
FIG. 2 is a front elevational view thereof, the back side, left side and right side being identical thereto; and,
FIG. 3 is a top plan view thereof.

1 Claim, 1 Drawing Sheet

(56) **References Cited**
U.S. PATENT DOCUMENTS

| | | | | |
|--------------|--------|-----------|-------|--------|
| D274,221 S * | 6/1984 | Biesecker | | D9/501 |
| D295,355 S * | 4/1988 | Leung | | D7/608 |
| D297,308 S * | 8/1988 | Lyons | | D9/502 |
| D378,492 S * | 3/1997 | Salle | | D9/502 |



(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0251956 A1* 11/2007 Wasserman A47J 41/0027
222/189.07
2019/0021529 A1* 1/2019 Schucker G16H 20/60

* cited by examiner




FIG. 1




FIG. 2




FIG. 3