



US00D873101S

(12) **United States Design Patent**
Armocida et al.

(10) **Patent No.:** **US D873,101 S**

(45) **Date of Patent:** **** Jan. 21, 2020**

(54) **COMBINED BOTTLE AND CAN OPENER**

(71) Applicants: **Michael Anthony Armocida**,
Greenville, SC (US); **Frank Michael**
Armocida, Greenville, SC (US)

(72) Inventors: **Michael Anthony Armocida**,
Greenville, SC (US); **Frank Michael**
Armocida, Greenville, SC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/640,488**

(22) Filed: **Mar. 14, 2018**

(51) **LOC (12) Cl.** **07-99**

(52) **U.S. Cl.**
USPC **D8/40**

(58) **Field of Classification Search**
USPC D8/18, 33-43
CPC B67B 7/00; B67B 7/0441; B67B 7/12;
B67B 7/14; B67B 7/16; B67B 7/18;
B67B 7/24; B67B 7/30; B67B 7/34;
B67B 7/40; B67B 7/406; B67B 7/44
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|------------|-------------------------|
| D215,807 S * | 11/1969 | Weingardt | 81/3.57 |
| 3,812,741 A * | 5/1974 | Heine | B67B 7/18 7/151 |
| 4,455,894 A * | 6/1984 | Roberts | B67B 7/18 30/317 |
| 4,653,354 A * | 3/1987 | Clapp | B22F 3/1017 76/101.1 |
| 4,864,898 A * | 9/1989 | Tricinella | B67B 7/44 81/3.09 |
| 4,949,600 A * | 8/1990 | Tricinella | B67B 7/44 81/3.09 |
| D352,440 S * | 11/1994 | Perigny | D8/98 |
| D357,619 S * | 4/1995 | Osmar | D8/34 |
| D373,941 S * | 9/1996 | Davis | 81/3.55 |

| | | | |
|----------------|---------|-----------|---------------------|
| D387,262 S * | 12/1997 | Byers | D8/91 |
| D453,290 S * | 2/2002 | Huang | D8/91 |
| D487,691 S * | 3/2004 | Huang | D8/91 |
| D600,084 S * | 9/2009 | Hbaidu | D27/195 |
| 8,695,457 B2 * | 4/2014 | Rozmus | B67B 7/16 30/450 |
| 9,114,968 B2 * | 8/2015 | Manger | B67B 7/403 |
| D744,805 S * | 12/2015 | Cavanaugh | D8/93 |

(Continued)

Primary Examiner — Elizabeth A. Albert


(57) **CLAIM**

The ornamental design for a combined bottle and can opener, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined bottle and can opener showing our new design;
 FIG. 2 is a right elevation view of the combined bottle and can opener of FIG. 1;
 FIG. 3 is a left elevation view of the combined bottle and can opener of FIG. 1;
 FIG. 4 is a top plan view of the combined bottle and can opener of FIG. 1;
 FIG. 5 is a bottom plan view of the combined bottle and can opener of FIG. 1;
 FIG. 6 is a front elevation view of the combined bottle and can opener of FIG. 1;
 FIG. 7 is a rear elevation view of the combined bottle and can opener of FIG. 1;
 FIG. 8 is a perspective view of the combined bottle and can opener of FIG. 1 in use;
 FIG. 9 is a second perspective view of the combined bottle and can opener of FIG. 1 in use; and,
 FIG. 10 is a third perspective view of the combined bottle and can opener of FIG. 1 in use.
 Broken lines show portions of the combined bottle and can opener or environment, and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,272,891 B2 * 3/2016 Arellano B67B 7/24
D807,140 S * 1/2018 Juranitch D8/93
D833,240 S * 11/2018 Goldstein D8/19
2006/0219058 A1 * 10/2006 Farentinos B67B 7/16
81/3.55
2007/0006685 A1 * 1/2007 Fok B67B 7/16
81/3.55
2017/0008744 A1 * 1/2017 Macon B67B 7/18

* cited by examiner




FIG. 1






FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10