



US00D873212S

(12) **United States Design Patent**
Chang et al.

(10) **Patent No.:** **US D873,212 S**
(45) **Date of Patent:** **** Jan. 21, 2020**

(54) **CHARGING UNIT**
(71) Applicant: **PHILIP MORRIS PRODUCTS S.A.,**
Neuchatel (CH)
(72) Inventors: **Wei Chia Chang,** Geneva (CH);
Jeffrey Tung, San Francisco, CA (US);
Hankak Lee, Seocho-gu (KR)
(73) Assignee: **PHILIP MORRIS PRODUCTS S.A.,**
Neuchatel (CH)
(**) Term: **15 Years**
(21) Appl. No.: **35/504,597**
(22) Filed: **Sep. 13, 2017**
(80) **Hague Agreement Data**
Int. Filing Date: **Sep. 13, 2017**
Int. Reg. No.: **DM/100035**
Int. Reg. Date: **Sep. 13, 2017**
Int. Reg. Pub. Date: **Mar. 16, 2018**

(30) **Foreign Application Priority Data**
Mar. 14, 2017 (EM) 003799329-0001
Mar. 14, 2017 (EM) 003799329-0002
(51) **LOC (12) Cl.** **13-02**
(52) **U.S. Cl.**
USPC **D13/107**
(58) **Field of Classification Search**
USPC D13/107, 110, 108; D27/189, 141;
D9/529, 521, 686, 520
CPC G06F 1/1632; H01R 29/00; H01M 2/10;
A01M 29/18
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
3,293,528 A * 12/1966 Rosen H01M 2/10
206/362.2
D374,817 S * 10/1996 Bertolini D9/520

5,606,305 A * 2/1997 Jan A01M 29/18
340/384.2
5,847,545 A * 12/1998 Chen H01R 29/00
320/138
6,046,571 A * 4/2000 Bovio G06F 1/1632
320/107
D454,110 S * 3/2002 Andre D13/110
D585,367 S * 1/2009 Dunbar D13/108
(Continued)

FOREIGN PATENT DOCUMENTS

KR 30-0870625 S 9/2016
WO DM/094 223 9/2016

OTHER PUBLICATIONS

Korean Design Search Report dated May 31, 2018 in Design Patent Application No. 30-2017-0043160.

Primary Examiner — Rhea Shields
(74) *Attorney, Agent, or Firm* — Oblon, McClelland,
Maier & Neustadt, L.L.P.


(57) **CLAIM**

The ornamental design for a charging unit, as shown and described.

DESCRIPTION

2. Charging unit
A charging unit for electrically charging an aerosol generating device is shown in the figures, as follows: **2.1** is a front, top, and right side perspective view, **2.2** is a front elevational view, **2.3** is a rear elevational view, **2.4** is a left side view, **2.5** is a top plan view, **2.6** is a bottom plan view, **2.7** is another front, top, and right side perspective view, and **2.8** is a right side view. Figures **2.1** to **2.6** and **2.8** show a closed state of the charging unit and figure **2.7** shows an open state for inserting an item to be charged.
In the reproduction **2.7**, the broken lines are for the purpose of illustrating environment only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS


D624,694 S *	9/2010	Zande	D27/141
D625,611 S *	10/2010	Higuchi	D9/686
D643,294 S *	8/2011	Thorpe	D9/521
D646,574 S *	10/2011	Bore	D9/529
D676,380 S *	2/2013	Sun	D13/108
D677,000 S *	2/2013	Liu	D27/189
D683,899 S *	6/2013	Liu	D13/108
D688,418 S *	8/2013	Liu	D13/108
D693,055 S *	11/2013	Manca	D27/189
D700,397 S	2/2014	Manca et al.	
D734,251 S *	7/2015	Rennick	D13/107
D790,455 S	6/2017	McGarry et al.	
D821,970 S *	7/2018	Loermann	D13/107

* cited by examiner


2.1




2.2




2.3




2.4




2.5



2.6



2.7



2.8

