



US00D873634S

(12) **United States Design Patent** (10) **Patent No.:** **US D873,634 S**
Landreville et al. (45) **Date of Patent:** **** Jan. 28, 2020**

(54) **HANDLE**

(71) Applicant: **GARANT GP**, Saint-François (CA)

(72) Inventors: **Marc-André Landreville**, Montreal (CA); **Johnathan Côté**, Boucherville (CA)

(73) Assignee: **GARANT GP** (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/635,904**

(22) Filed: **Feb. 5, 2018**

(51) **LOC (12) Cl.** **08-01**

(52) **U.S. Cl.**

USPC **D8/10**; D8/107

(58) **Field of Classification Search**

USPC D8/1, 7, 10, 107, 303, 307, 315, 317, D8/322; D21/483, 532

CPC E01H 5/00; E01H 5/02; E01H 5/12; A01B 1/00; A01B 1/02; A01B 1/022; A01B 1/16; A01B 1/026; A01B 1/22; B25G 1/00; B25G 1/04; B25G 1/102; Y10T 16/4713; Y10T 16/476; Y10T 16/473

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D189,486 S	12/1960	Walsh
3,848,915 A	11/1974	Wherry
D250,083 S	10/1978	Insalaco
D262,351 S	12/1981	Oas
D300,199 S	3/1989	Ipema
D384,873 S	10/1997	Aquilina
D397,279 S	8/1998	Rich et al.
5,826,929 A	10/1998	Tisbo et al.
5,826,930 A	10/1998	Whitehead et al.
D405,573 S	2/1999	Tisbo et al.
D409,886 S	5/1999	Whitehead et al.
5,951,078 A	9/1999	Whitehead et al.

D417,825 S	12/1999	Tisbo et al.
D435,406 S	12/2000	Alexander et al.
D475,601 S	6/2003	Huang
D487,680 S	3/2004	Sickler et al.
D506,654 S	6/2005	Costa
D527,960 S	9/2006	Fortier
D532,275 S *	11/2006	Lin D8/107
D534,045 S	12/2006	Fortier
D548,550 S	8/2007	Yeh
D563,181 S	3/2008	Gailey
D570,653 S	6/2008	Baker

(Continued)

FOREIGN PATENT DOCUMENTS

CA 128065 D 4/2009

OTHER PUBLICATIONS

Long handle digging shovel with round point—<http://www.cattools.com/shovels/long-handle-digging-shovel-with-round-point/> (Jan. 24, 2017).

Primary Examiner — Sandra S Snapp

Assistant Examiner — Ieisha N Price

(74) *Attorney, Agent, or Firm* — Lavery, De Billy, LLP; Gwendoline Bruneau


(57) **CLAIM**

The ornamental design for a handle, as shown and described.

DESCRIPTION

FIG. 1 is perspective view of the new design; FIG. 2 is a front view thereof; FIG. 3 is a first side view thereof; FIG. 4 is a second side view thereof; FIG. 5 is a rear view thereof; FIG. 6 is a top view thereof; and, FIG. 7 is a bottom view thereof. The broken lines shown in FIGS. 1-7 illustrate portions of the handle that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D572,094	S	7/2008	Rosine et al.	
D588,883	S	3/2009	Randolph et al.	
D592,920	S	5/2009	Boies et al.	
D596,906	S	7/2009	Boies et al.	
D602,751	S	10/2009	Boies et al.	
D710,665	S *	8/2014	Boies	D8/10
D741,669	S *	10/2015	Lyytikainen	D8/1
D756,727	S *	5/2016	Cosyleon	D8/10
D787,294	S *	5/2017	Bast	D8/107
D825,312	S *	8/2018	Buckley	A47L 13/22
				D8/307
2004/0154132	A1 *	8/2004	Ritrovato	B25G 1/10
				16/430
2017/0021491	A1 *	1/2017	Mackin	A01B 1/22
2018/0206693	A1 *	7/2018	Harrington	A47L 13/16
2019/0001480	A1 *	1/2019	Harrington	B25G 1/102

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4

