



US00D873644S

(12) **United States Design Patent**
Meyer et al.

(10) **Patent No.:** **US D873,644 S**

(45) **Date of Patent:** **** Jan. 28, 2020**

(54) **HANDLE**

(71) Applicants: **Ronald G Meyer**, Leawood, KS (US);
John L Rudder, Leavenworth, KS (US)

(72) Inventors: **Ronald G Meyer**, Leawood, KS (US);
John L Rudder, Leavenworth, KS (US)

(73) Assignee: **Kraft Tool Company**, Shawnee, KS
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/635,650**

(22) Filed: **Feb. 1, 2018**

(51) **LOC (12) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/107**; D8/45

(58) **Field of Classification Search**
USPC D8/14, 90, 91, 92, 93, 95, 96, 97, 45,
D8/107, 300, 307, 315; D7/394
CPC B24D 15/00; B24D 15/02; B24D 15/023;
B24D 15/04; B24D 18/0009; E04F
21/161; E04F 21/06; E04F 21/16
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D130,814 S	12/1941	Comiskey et al.	
2,276,725 A	3/1942	Huffman	
4,071,983 A *	2/1978	Thielen	A47L 13/34 15/229.13
D310,012 S *	8/1990	Henke	D8/45
D375,036 S	10/1996	David	
D380,956 S *	7/1997	Collins	D8/316
D390,085 S	2/1998	Franks	
5,823,069 A	10/1998	Roark	
6,170,362 B1	1/2001	Chen	

D439,129 S	3/2001	Chen	
6,220,128 B1	4/2001	Hu	
6,226,836 B1	5/2001	Yasui	
6,247,204 B1	6/2001	Hamby	
6,336,255 B1	1/2002	Gallup	
6,516,496 B2	2/2003	Ekron	
D474,389 S *	5/2003	Panfli	D8/45
6,615,692 B2	9/2003	Hu	
6,640,378 B2 *	11/2003	Hsu	B25G 1/102 15/143.1
6,719,620 B1 *	4/2004	Panfli	B24D 15/023 451/515
D504,601 S *	5/2005	Jimenez	D8/45
D506,911 S *	7/2005	Jimenez	D8/45
D520,204 S *	5/2006	Peterson	D32/46
D531,876 S *	11/2006	Jimenez	D8/94
D542,213 S *	5/2007	Rodriguez	D12/317
D584,126 S	1/2009	Meyer	
D602,138 S *	10/2009	Gilbert	4/576.1
7,770,262 B2	8/2010	Schultz	

(Continued)

Primary Examiner — Philip S Hyder

(74) *Attorney, Agent, or Firm* — Erickson Kernell IP,
LLC; John C. McMahon


(57) **CLAIM**

The ornamental design for a handle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a handle in accordance with the invention;
FIG. 2 is a first side elevational view of the handle with the second side elevational view of the handle being a mirror image thereof;
FIG. 3 is a rear elevational view of the handle with the front elevational view of the handle being a mirror image thereof;
FIG. 4 is a bottom plan view of the handle; and,
FIG. 5 is a top plan view of the handle.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D623,921	S	9/2010	Chiu	
D625,572	S	10/2010	Hoertnagl	
D633,363	S	3/2011	Quinlan	
8,046,876	B2	11/2011	Pasquini	
8,220,360	B2	7/2012	Li	
D668,124	S *	10/2012	Lewis	D8/45
D691,446	S	10/2013	Haythornthwaite	
D699,510	S *	2/2014	Rae	D7/394
D699,543	S	2/2014	Haythornthwaite	
D735,550	S	8/2015	Seeds	
D787,291	S *	5/2017	Lehovetzki	D8/90
D787,292	S *	5/2017	Lehovetzki	D8/90
D837,022	S *	1/2019	Hughes	D8/90
D842,678	S *	3/2019	Meyer	D8/315
2005/0015934	A1	1/2005	Hu	
2008/0173126	A1	7/2008	Madden	

* cited by examiner




Fig. 1.

Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.

