



US00D873957S

(12) **United States Design Patent**  
**Daudish et al.**

(10) **Patent No.:** **US D873,957 S**  
(45) **Date of Patent:** **\*\* Jan. 28, 2020**

(54) **HEATED HOSE NOZZLE**  
(71) Applicant: **Rheem Manufacturing Company**,  
Atlanta, GA (US)  
(72) Inventors: **Kathleen L. Daudish**, Waterbury, CT  
(US); **Christopher M. Hayden**,  
Waterbury, CT (US); **Sergiu G. Mihu**,  
Waterbury, CT (US); **Eric R.**  
**Jurczynszak**, Waterbury, CT (US);  
**Curtis J. Keohane**, Waterbury, CT  
(US)

D481,277 S \* 10/2003 Waldron ..... D8/29.1  
D511,861 S \* 11/2005 Fernandez ..... D23/223  
D516,672 S \* 3/2006 Khubani ..... D23/213  
D516,883 S \* 3/2006 Popov ..... D8/29.1  
D572,097 S \* 7/2008 Yung-Kuan ..... D28/13  
D664,820 S \* 8/2012 Furling ..... D8/29.1  
D673,020 S \* 12/2012 Brummitt ..... D23/223  
D709,991 S \* 7/2014 Loudon ..... D23/223  
D746,653 S \* 1/2016 Furling ..... D8/29.1  
D799,637 S \* 10/2017 Tschan ..... D23/223  
D829,519 S \* 10/2018 Teraoka ..... D8/29.1  
D846,963 S \* 4/2019 van der Rest ..... D8/68  
2006/0018637 A1 \* 1/2006 Lin ..... A45D 20/06  
392/384

(73) Assignee: **Rheem Manufacturing Company**,  
Atlanta, GA (US)

\* cited by examiner

(\*\*) Term: **15 Years**

*Primary Examiner* — Manpreet S Matharu

*Assistant Examiner* — Keith J Wilson

(21) Appl. No.: **29/646,063**

(74) *Attorney, Agent, or Firm* — King & Spalding LLP

(22) Filed: **May 1, 2018**

(51) **LOC (12) Cl.** ..... **23-01**

(52) **U.S. Cl.**

USPC ..... **D23/223**; D8/29.1; D8/29.2; D23/213

(58) **Field of Classification Search**

USPC ..... D23/213, 223; D8/14.1, 30; D21/572;  
D28/12–13

CPC ..... A61H 9/0021; A61H 33/00; B05B 1/00;  
B05B 1/14; B05B 1/185; B05B 1/08;  
B05B 1/02; B05B 1/26; B05B 12/002;  
B05B 1/18; B05B 9/01; F24H 3/00;  
F24H 3/0423

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D341,302 S \* 11/1993 Ware ..... D8/29.1  
D388,298 S \* 12/1997 Jerdee ..... D8/29.1

(57) **CLAIM**

The ornamental design for a heated hose nozzle, as shown and described.

**DESCRIPTION**

FIG. 1 is a top front perspective view of our new design for a heated hose nozzle;

FIG. 2 is a bottom back perspective view thereof;

FIG. 3 is a left elevation view thereof;

FIG. 4 is a right elevation view thereof;

FIG. 5 is a front elevation view thereof;

FIG. 6 is a back elevation view thereof;


FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom view thereof.

The broken lines shown represent features of the heated hose nozzle that form no part of the claimed design.

The area between the dash-dot-dot-dash lines forms no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8