



US00D873976S

(12) **United States Design Patent**  
**Simon et al.**

(10) **Patent No.: US D873,976 S**  
(45) **Date of Patent: \*\* Jan. 28, 2020**

(54) **ADHESIVE FITTING**

(71) Applicant: **IPEX TECHNOLOGIES INC.,**  
Oakville (CA)

(72) Inventors: **Jis Simon, Brampton (CA); Filippo Martino, Oakville (CA); Eric William Jones, Hamilton (CA)**

(73) Assignee: **IPEX TECHNOLOGIES INC.,**  
Mississauga (CA)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/623,404**

(22) Filed: **Oct. 25, 2017**

(30) **Foreign Application Priority Data**

Sep. 15, 2017 (CA) ..... 177090

(51) **LOC (12) Cl.** ..... **23-01**

(52) **U.S. Cl.**  
USPC ..... **D23/262**

(58) **Field of Classification Search**  
USPC ..... D23/259, 262, 263, 265-266; 285/15, 285/16, 31, 33, 45, 53, 86, 104, 125.1, 285/179, 180, 285.1, 294.1, 294.3, 417, 3, 285/39, 105, 113, 257, 305, 321, 323, 285/340, 423; 251/146-152; 138/99; D8/356, 382, 395-396  
CPC ..... F16L 59/14; F16L 17/10; F16L 2201/10; F16L 21/00; E21B 17/1028; E21B 37/02  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,540,504 A 6/1925 Seaman  
2,313,074 A \* 3/1943 Jewell ..... F16L 13/11  
264/263

4,221,259 A 9/1980 Ronc et al.  
4,258,936 A \* 3/1981 Goldberg ..... F16L 47/04  
285/31  
5,145,219 A \* 9/1992 Babuder ..... F16L 19/0212  
277/609  
5,403,043 A \* 4/1995 Smet ..... F16L 37/2445  
285/148.21  
5,486,024 A 1/1996 Dierdorf  
5,685,577 A 11/1997 Vanesky  
5,813,705 A \* 9/1998 Dole ..... F16L 37/148  
285/305  
6,497,435 B1 \* 12/2002 Luft ..... F16L 37/113  
285/360  
6,595,559 B1 7/2003 Readman  
(Continued)

**FOREIGN PATENT DOCUMENTS**

CA 2358120 7/2000  
CA 2814608 5/2012  
(Continued)

*Primary Examiner* — Amy C Wierenga


(57) **CLAIM**

We claim the ornamental design for an adhesive fitting, as shown and described.

**DESCRIPTION**

FIG. 1 is a front and top perspective view of the fitting showing our new design;  
FIG. 2 is a right side view of the design shown in FIG. 1;  
FIG. 3 is a left side view of the design shown in FIG. 1;  
FIG. 4 is a top view of the design shown in FIG. 1;  
FIG. 5 is a bottom view of the design shown in FIG. 1; and,  
FIG. 6 is a cross sectional view of the design shown in FIG. 1 in use with a pipe having been inserted in each end and adhesive injected in the holes.  
The broken lines shown in FIG. 6 illustrate environmental subject matter only that form no part of the claim.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

7,131,671 B2 \* 11/2006 Saarem ..... F16L 21/002  
 285/93  
 D571,440 S \* 6/2008 Kanao ..... D23/262  
 D589,126 S \* 3/2009 Concannon ..... D23/262  
 D612,020 S \* 3/2010 Ward ..... D23/262  
 D664,839 S \* 8/2012 Bonhag ..... D8/396  
 8,322,755 B2 \* 12/2012 Kluss ..... F16L 37/0915  
 285/314  
 8,448,995 B2 \* 5/2013 Ward ..... F16L 21/005  
 285/236  
 9,044,900 B2 6/2015 McPherson  
 2007/0284037 A1 \* 12/2007 Buytaert ..... E21B 17/1028  
 156/294  
 2008/0084061 A1 \* 4/2008 Kertesz ..... F16L 37/088  
 285/86  
 2010/0025982 A1 2/2010 Jamison  
 2010/0259040 A1 10/2010 Kjolseth  
 2010/0260540 A1 \* 10/2010 Church ..... E21B 17/04  
 403/305  
 2013/0168958 A1 \* 7/2013 Van Den Bergh .....  
 B29C 61/0616  
 285/294.1  
 2013/0181436 A1 7/2013 McPherson  
 2014/0333066 A1 \* 11/2014 Strunk ..... F16L 19/00  
 285/374  
 2019/0063649 A1 \* 2/2019 Snyder, II ..... F16L 27/0828

FOREIGN PATENT DOCUMENTS

CH 661109 A5 11/1982  
 GB 2 269 870 A 2/1994  
 GB 2 278 656 A 12/1994  
 KR 10-2008-0084463 2/2009

\* cited by examiner




Fig. 1




Fig. 2






Fig. 3




Fig. 4




Fig. 5




Fig. 6