



US00D874000S

(12) **United States Design Patent**
Di Sessa et al.

(10) **Patent No.:** **US D874,000 S**
(45) **Date of Patent:** **** Jan. 28, 2020**

(54) **LASER DELIVERY DEVICE**

(71) Applicant: **Azena Medical, LLC**, Pleasant Hill,
CA (US)

(72) Inventors: **Alexandre B. Di Sessa**, Walnut Creek,
CA (US); **Kenneth Lester Blanchard**,
Vacaville, CA (US)

(73) Assignee: **Azena Medical, LLC**, Walnut Creek,
CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/670,685**

(22) Filed: **Nov. 19, 2018**

Related U.S. Application Data

(63) Continuation of application No. 29/585,061, filed on
Nov. 19, 2016, now Pat. No. Des. 847,987.

(51) **LOC (12) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/144; D24/152**

(58) **Field of Classification Search**
USPC D24/144, 146, 133, 107, 112, 130,
D24/185-186, 152, 176; D14/341, 485,
D14/487-488; D18/26; D10/49-50, 64,
D10/65, 122, 126, 30; D16/134; D20/11
CPC A61B 18/20; A61B 18/201; A61B 18/22;
A61B 2018/202; A61B 2017/00199;
A61B 5/00; A61C 1/0046; A61C 1/07;
A61C 17/20; G06F 3/048; G06F 3/0481;
G06F 3/04817; G06F 3/0482; G09G 3/30;
G09G 2320/064

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D232,325 S * 8/1974 Durden, III D24/144
D246,189 S * 10/1977 Smith D24/151

D322,415 S 12/1991 Ritchie
6,129,721 A * 10/2000 Kataoka A61B 18/22
606/2
D453,966 S 2/2002 Claren
6,829,427 B1 * 12/2004 Becker A61B 18/22
385/147
D553,142 S 10/2007 Blencowe
7,443,296 B2 10/2008 Mezhinsky
7,695,469 B2 * 4/2010 Boutoussov A61B 18/22
606/13
7,815,630 B2 * 10/2010 Rizoju A61B 18/20
606/1
D660,965 S * 5/2012 Waclawik D24/152
(Continued)

OTHER PUBLICATIONS

Notice of Allowance dated Sep. 20, 2019 for U.S. Appl. No.
29/670,683.

Primary Examiner — Wan Laymon

(74) *Attorney, Agent, or Firm* — Stoel Rives LLP


(57) **CLAIM**

The ornamental design for a laser delivery device, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of a laser delivery device
showing our new design;
FIG. 2 is another perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a right elevation view thereof;
FIG. 5 is a left elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines immediately adjacent the shaded areas
represent the bounds of the claimed design, while all other
broken lines are directed to environment and are for illus-
trative purposes only; the broken lines from no part of the
claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,192,359 B2 * 6/2012 Kusakabe A61B 5/00
433/27
8,195,313 B1 6/2012 Fadell
8,277,442 B2 * 10/2012 Di Sessa A61B 18/22
606/1
D687,043 S 7/2013 Matas
D687,057 S 7/2013 Plitkins
8,850,348 B2 9/2014 Fadell
D841,163 S * 2/2019 Di Sessa D24/144
10,304,374 B2 * 5/2019 Di Sessa G09G 3/30
2010/0082020 A1 4/2010 Gong
2010/0106146 A1 * 4/2010 Boitor G02B 6/4292
606/15
2013/0330684 A1 * 12/2013 Dillon A61C 1/0046
433/29
2015/0073399 A1 * 3/2015 Boitor G02B 6/4292
606/15

* cited by examiner




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7