



US00D874242S

(12) **United States Design Patent** (10) **Patent No.:** **US D874,242 S**  
**Meyer et al.** (45) **Date of Patent:** **\*\* Feb. 4, 2020**

- (54) **HANDLE**
- (71) Applicants: **Ronald G Meyer**, Leawood, KS (US);  
**John L Rudder**, Leavenworth, KS (US)
- (72) Inventors: **Ronald G Meyer**, Leawood, KS (US);  
**John L Rudder**, Leavenworth, KS (US)
- (73) Assignee: **Kraft Tool Company**, Shawnee, KS  
(US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/635,652**
- (22) Filed: **Feb. 1, 2018**
- (51) **LOC (12) Cl.** ..... **08-05**
- (52) **U.S. Cl.**  
USPC ..... **D8/107; D8/45**
- (58) **Field of Classification Search**  
USPC ..... D8/14, 90, 91, 92, 93, 95, 96, 97, 45,  
D8/107, 300, 307, 315; D7/394  
CPC ..... A47J 45/06; A47J 45/061; A01B 1/02;  
A01B 1/06; B25G 1/00; E04F 21/161;  
E04F 21/06; E04F 21/16  
See application file for complete search history.

6,336,255	B1	1/2002	Gallup	
6,516,496	B2	2/2003	Ekron	
D474,097	S *	5/2003	Hsiao	D8/107
6,615,692	B2	9/2003	Hu	
D483,642	S *	12/2003	Lin	D8/107
D484,387	S *	12/2003	Hsiao	D8/107
D508,638	S *	8/2005	Meyer	D8/10
D532,277	S *	11/2006	Shih	D8/107
D584,126	S	1/2009	Meyer	
7,770,262	B2	8/2010	Schultz	
D623,921	S	9/2010	Chiu	
D625,572	S	10/2010	Hoertnagl	
D633,363	S	3/2011	Quinlan	
8,046,876	B2	11/2011	Pasquini	
8,220,360	B2	7/2012	Li	
D691,446	S	10/2013	Haythornthwaite	
D699,543	S	2/2014	Haythornthwaite	
D735,550	S	8/2015	Seeds	
D797,539	S *	9/2017	Lipscomb	D8/99
D819,417	S *	6/2018	Graykowski	D8/47

(Continued)

*Primary Examiner* — Philip S Hyder  
(74) *Attorney, Agent, or Firm* — Erickson Kernell IP,  
LLC; John C. McMahon

(57) **CLAIM**


The ornamental design for a handle, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a handle in accordance with the invention;  
FIG. 2 is a top plan view of the handle with a bottom plan view of the handle being a mirror image thereof;  
FIG. 3 is a first side elevational view of the handle with a second side elevational view of the handle being a mirror image thereof;  
FIG. 4 is a front elevational view of the handle; and,  
FIG. 5 is a rear elevational view of the handle.

**1 Claim, 2 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS
- |           |    |         |                 |
|-----------|----|---------|-----------------|
| D130,814  | S  | 12/1941 | Comiskey et al. |
| 2,276,725 | A  | 3/1942  | Huffman         |
| D375,036  | S  | 10/1996 | David           |
| D390,085  | S  | 2/1998  | Franks          |
| 5,823,069 | A  | 10/1998 | Roark           |
| 6,170,362 | B1 | 1/2001  | Chen            |
| D439,129  | S  | 3/2001  | Chen            |
| 6,220,128 | B1 | 4/2001  | Hu              |
| 6,226,836 | B1 | 5/2001  | Yasui           |
| 6,247,204 | B1 | 6/2001  | Hamby           |



(56)


**References Cited**

U.S. PATENT DOCUMENTS


2005/0015934 A1 1/2005 Hu  
2008/0173126 A1 7/2008 Madden

\* cited by examiner


*Fig. 1.*




*Fig. 2.*



*Fig. 3.*



*Fig. 4.*



*Fig. 5.*

