

US00D874296S

(12) **United States Design Patent** (10) **Patent No.:** **US D874,296 S**
Wouters (45) **Date of Patent:** **** Feb. 4, 2020**

(54) **TRAY FOR PACKING FOODS**

(71) Applicant: **Gate Gourmet Switzerland GmbH**,
Glattbrugg (CH)

(72) Inventor: **Luc Wouters**, Olen (BE)

(**) Term: **15 Years**

(21) Appl. No.: **29/640,110**

(22) Filed: **Mar. 12, 2018**

(30) **Foreign Application Priority Data**

Sep. 13, 2017 (EM) 004349686-0004

(51) **LOC (12) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/761**

(58) **Field of Classification Search**

USPC D9/414, 418, 420-426, 429-432, 503,
D9/504, 737, 756-762; D7/538,
D7/540-542, 550.1, 553.1-553.5, 554.1,
D7/554.3, 554.4, 555, 557, 584, 586, 601,
D7/602, 610, 611, 614, 615, 701, 703,
D7/707, 708; D3/206, 273, 20, 283, 284,
D3/295, 302, 309-315; 220/500, 507,
220/508, 553, 555, 556; 229/120.02,
229/120.07, 406, 407, 906, 904;
206/521.1, 521.15, 561, 443
CPC B65B 31/028; B65B 19/34; B65D 1/30;
B65D 1/34; B65D 2581/055; B65D
81/34; B65D 1/36; B65D 81/3453; B65D
85/36; B65D 21/02; B65D 21/0206;
B65D 71/40; B65D 71/50; B65D 43/162;
B65D 1/00; B65D 43/021; B65D
2543/00194; B65D 2543/00296; B65D
2543/00509; B65D 2543/00101; B65D
2543/00537; B65D 2543/00555; B65D
2577/2066; B65D 2101/0015; B65D
2571/00277; B65D 21/0233; B65D 71/70;
B65D 1/44; B65D 2581/3416; B65D
81/133; B65D 2543/00351; B65D
2543/002203; B65D

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D226,836 S * 5/1973 Cyr, et al. D9/761
D236,691 S * 9/1975 Haase D9/761

(Continued)

Primary Examiner — W. A. Teddy Falloway

(74) *Attorney, Agent, or Firm* — Woodard, Emhardt,
Henry, Reeves & Wagner LLP

(57) **CLAIM**

An ornamental design for a tray for packing foods, reference being made to the accompanying drawings, forming a part thereof.

DESCRIPTION

FIG. 1 is a perspective view in the open configuration of a tray for packing foods.

FIG. 2 is a perspective view in the closed configuration of a tray for packing foods.

FIG. 3 is a top view in the open configuration of a tray for packing foods.


FIG. 4 is a bottom view in the open configuration of a tray for packing foods.

FIG. 5 is a right side view in the open configuration of a tray for packing foods, the left side view is a symmetric image thereof.

FIG. 6 is an end view of the top portion of a tray for packing foods. In the closed configuration, FIG. 6 as shown forms the upper portion of a front end view. In the open configuration, the top portion has been rotated and the corresponding perspective illustrated in FIG. 6 would be rotated; and, FIG. 7 is a front end view of the lower portion in the open configuration of a tray for packing foods.

The broken lines in the figures illustrate portions of the design that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(58) **Field of Classification Search**

CPC 2543/00425; B65D 85/60; A61C 17/005;
A61C 19/006; A23B 5/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D236,692	S *	9/1975	Haase	D9/761
D240,353	S *	6/1976	Edwards	D9/761
D375,259	S *	11/1996	Whitehead	D9/420
D517,427	S *	3/2006	Ramirez	D9/425
D536,992	S *	2/2007	Garg	D9/425
D551,546	S *	9/2007	Ramirez	D9/424
D672,644	S *	12/2012	Allers	D9/423
D681,446	S *	5/2013	Schulter	D9/420
D792,161	S *	7/2017	Ng	D7/541
D848,258	S *	5/2019	Mei	D9/429
2005/0205570	A1 *	9/2005	Ramirez	B65D 1/24 220/4.21
2010/0102074	A1 *	4/2010	Parikh	B65D 43/0254 220/810
2010/0320210	A1 *	12/2010	Cimmerer	B65D 51/1616 220/367.1

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7