



US00D874301S

(12) **United States Design Patent** (10) **Patent No.:** **US D874,301 S**  
**Thoni et al.** (45) **Date of Patent:** **\*\* Feb. 4, 2020**

(54) **REMOTE SENSOR FOR SMART THERMOSTAT**  
(71) Applicant: **Johnson Controls Technology Company**, Auburn Hills, MI (US)  
(72) Inventors: **Mark A. Thoni**, Pewaukee, WI (US); **Vineet B. Sinha**, Brookfield, WI (US)  
(73) Assignee: **Johnson Controls Technology Company**, Auburn Hills, MI (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/659,716**  
(22) Filed: **Aug. 10, 2018**  
(51) **LOC (12) Cl.** ..... **10-04**  
(52) **U.S. Cl.**  
USPC ..... **D10/50; D13/162.1**  
(58) **Field of Classification Search**  
USPC ..... D10/49, 50; D13/162, 162.1, 164, 168, D13/177; D14/218  
CPC . F23N 5/20; F23N 5/203; F23N 5/206; F23N 5/18; F23N 5/184; F23N 5/187; F23N 5/22; F23N 2025/12; F23N 2041/02; F24F 11/00; F24F 11/0012; F24F 11/0009; F24F 11/001; F24F 2011/0057; F24F 2011/0073; F24F 2011/0091; F24F 2011/0094; F24F 2011/0068; F24F 2011/0012; F24F 2011/0015; F24F 2011/0017; F21V 11/16; F21V 33/10; G05B 19/042; G05D 23/01; G05D 23/12; G05D 23/275; G05D 23/1902; G05D 23/1904; G05D 23/27502; G05D 23/27503; G05D 23/1919; G05D 23/19; G05D 23/2723; G05D 23/00; G09F

13/22; G09F 9/53; G06F 1/1684; G06F 1/30; G06F 3/0362; G06F 3/038; H05B 33/0854; H05B 37/0218; H05K 5/0017; H05K 5/0243; H05K 5/00; H05K 5/03; H04M 2250/12; H04M 2250/22  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D727,180 S \* 4/2015 Lai ..... D10/50  
D843,235 S \* 3/2019 McKinnon ..... D10/50

\* cited by examiner

*Primary Examiner* — Antoine Duval Davis  
(74) *Attorney, Agent, or Firm* — Foley & Lardner LLP


(57) **CLAIM**

We claim the ornamental design for a remote sensor for smart thermostat, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of the claimed design;  
FIG. 2 is a front view of the embodiment of FIG. 1;  
FIG. 3 is a side view of the embodiment of FIG. 1;  
FIG. 4 is a top view of the embodiment of FIG. 1;  
FIG. 5 is a front perspective view of a second embodiment of the claimed design;  
FIG. 6 is a front view of the embodiment of FIG. 5;  
FIG. 7 is a side view of the embodiment of FIG. 5; and,  
FIG. 8 is a top view of the embodiment of FIG. 5.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8