



US00D874364S

(12) **United States Design Patent** (10) **Patent No.:** **US D874,364 S**  
**Martel et al.** (45) **Date of Patent:** **\*\* Feb. 4, 2020**

(54) **JOYSTICK CONTROLLER FOR VEHICLES**

(71) Applicant: **Yvon Martel**, Chicoutimi (CA)

(72) Inventors: **Yvon Martel**, Chicoutimi (CA);  
**Michael Martel**, Chicoutimi (CA)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/649,373**

(22) Filed: **May 29, 2018**

(30) **Foreign Application Priority Data**

Nov. 30, 2017 (CA) ..... 178530

(51) **LOC (12) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/174**

(58) **Field of Classification Search**  
USPC ..... D12/400, 415, 162, 174-177, 179, 180,  
D12/181, 190-192, 196, 218; D14/412;  
D21/566  
CPC .. B60T 17/00; B60D 1/01; B60D 1/14; B60R  
25/02105; B60R 2011/001  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D212,240 S *	9/1968	Wong	.....	D21/566
D254,544 S *	3/1980	McKinsey	.....	D13/169
4,658,666 A *	4/1987	Liu	.....	G05G 9/047 200/DIG. 23
D303,815 S *	10/1989	Kim	.....	D14/416
D357,906 S *	5/1995	Fukushima	.....	D14/358
5,813,284 A *	9/1998	Cox	.....	G05G 9/047 74/471 XY
D413,591 S *	9/1999	Menze	.....	D14/413
D479,239 S *	9/2003	Faust	.....	D14/415
D508,964 S *	8/2005	Golliher	.....	D21/566

D509,266 S *	9/2005	Golliher	.....	D21/566
D599,829 S *	9/2009	Jorgensen	.....	D14/412
D606,100 S *	12/2009	Kobayashi	.....	D15/28
D607,515 S *	1/2010	Oikawa	.....	D14/412
D635,591 S *	4/2011	Wahrenberg	.....	D15/28
D704,189 S *	5/2014	Rey	.....	D14/412
D734,750 S *	7/2015	Jensen	.....	D14/415
D745,009 S *	12/2015	Jensen	.....	D14/415
D758,949 S *	6/2016	Tran	.....	D12/345
D859,245 S *	9/2019	Tseng	.....	D12/174

\* cited by examiner

*Primary Examiner* — Khawaja Anwar

*Assistant Examiner* — Mojtaba Tehrani

(74) *Attorney, Agent, or Firm* — Ipaxio S.E.N.C.


(57) **CLAIM**

The ornamental design for a joystick controller for vehicles, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a joystick controller for vehicles showing the new design;  
FIG. 2 is a front side view of the joystick controller for vehicles shown in FIG. 1;  
FIG. 3 is a right side view of the joystick controller for vehicles shown in FIG. 1;  
FIG. 4 is a left side view of the joystick controller for vehicles shown in FIG. 1;  
FIG. 5 is a top view of the joystick controller for vehicles shown in FIG. 1;  
FIG. 6 is a bottom view of the joystick controller for vehicles shown in FIG. 1; and,  
FIG. 7 is a rear side view of the joystick controller for vehicles shown in FIG. 1.  
The broken line in the drawings depicts unclaimed portions of the joystick only and forms no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7