



US00D874460S

(12) **United States Design Patent**
Mitchell

(10) **Patent No.:** **US D874,460 S**

(45) **Date of Patent:** **** Feb. 4, 2020**

(54) **COORDINATE INPUT DEVICE**

(71) Applicant: **Wacom Co., Ltd.**, Kazo-shi, Saitama (JP)

(72) Inventor: **Giles Thomas Mitchell**, Setagaya-ku (JP)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/630,485**

(22) Filed: **Dec. 21, 2017**

(30) **Foreign Application Priority Data**

Jun. 21, 2017 (JP) 2017-013323

(51) **LOC (12) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/389**

(58) **Field of Classification Search**

USPC D14/388, 389, 390, 318, 341, 342, 346,
D14/356, 357, 217, 218, 454, 455, 299,
D14/496, 457, 458, 375, 376, 336, 338,
D14/339; D13/158, 162, 162.1, 164, 168,
D13/169, 170, 173, 174, 177; D10/46,

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D6,684 S * 5/1873 Coffin D19/113
D289,291 S * 4/1987 Kapper D14/389
D313,409 S * 1/1991 Chowdhree D14/389

(Continued)

FOREIGN PATENT DOCUMENTS

CN 302372442 S 3/2013
JP D1573144 S 4/2017

OTHER PUBLICATIONS

Coordinate input devices. (Design—© Questel) orbit.com. [online PDF] 17 pgs. Print Dates range Nov. 20, 2017 through Sep. 28, 2018. [Retrieved on Jun. 5, 2019] <https://sobjprd.questel.fr/export/QPTUJ214/pdf2/047c5c8e-2bb8-40b9-a554-30e2b3ab1412-170703.pdf>.*

Primary Examiner — Marie D. Fast Horse

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a coordinate input device, as shown and described.

DESCRIPTION

FIG. 1 shows a top perspective view of a representative embodiment of a coordinate input device according to my new design;

FIG. 2 shows a bottom perspective view of the coordinate input device of FIG. 1;

FIG. 3 shows a bottom plan view of the coordinate input device of FIG. 1;

FIG. 4 shows a top plan view of the coordinate input device of FIG. 1;

FIG. 5 shows a left side elevational view of the coordinate input device of FIG. 1;

FIG. 6 shows a right side elevational view of the coordinate input device of FIG. 1;


FIG. 7 shows a front elevational view of the coordinate input device of FIG. 1;

FIG. 8 shows a rear elevational view of the coordinate input device of FIG. 1; and,

FIG. 9 shows an enlarged, partial top perspective view of the coordinate input device, as indicated in FIG. 1.

The dashed broken lines in the drawings show portions of the coordinate input device that form no part of the claimed design. The dot-dot-dash broken lines in the drawings indicate boundaries of the view indicators that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(58) **Field of Classification Search**
 USPC D10/49, 50, 51, 75, 80, 103; D19/26, 1,
 D19/2, 113, 88
 CPC G06F 3/041; G06F 3/0412; G06F 3/0414;
 G06F 3/0416; G06F 3/044; G06F 3/048;
 G06F 3/484; G06F 3/488; G06F 3/4883;
 G06F 3/03545; G06F 3/03547; G06F
 2203/0338; G06F 1/1669; G06F 1/1643;
 G06F 1/166
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D340,701 S * 10/1993 Takeuchi D14/341
 5,401,917 A * 3/1995 Yoshida G06F 3/03545
 178/19.01
 D392,259 S * 3/1998 Simmon D14/341
 D504,889 S * 5/2005 Andre D14/341
 D589,961 S * 4/2009 Hackenberg D14/388
 D617,793 S * 6/2010 Chiang D14/341
 D625,726 S 10/2010 Crisp et al.
 D625,728 S * 10/2010 Crisp D14/390
 D629,216 S * 12/2010 Stoddard D6/308
 D629,401 S * 12/2010 Crisp D14/390
 D629,402 S * 12/2010 Crisp D14/390
 D636,769 S * 4/2011 Wood D14/341
 D638,421 S * 5/2011 Tsai D14/346
 D639,804 S * 6/2011 Hwang D14/341

D642,562 S * 8/2011 Kato D14/341
 D645,036 S * 9/2011 Jones D14/341
 D648,723 S * 11/2011 Harper D14/390
 D654,074 S * 2/2012 Wood D14/341
 D675,614 S * 2/2013 Feng D14/341
 D684,968 S * 6/2013 Smith D14/341
 D684,969 S * 6/2013 Smith D14/341
 D689,487 S * 9/2013 Halsinger D14/389
 D689,490 S * 9/2013 Halsinger D14/389
 D689,491 S 9/2013 Halsinger et al.
 D689,492 S * 9/2013 Halsinger D14/389
 D690,696 S * 10/2013 Jonsson D14/390
 D690,697 S * 10/2013 Jonsson D14/390
 D690,699 S * 10/2013 Jonsson D14/390
 D695,735 S * 12/2013 Kitchen D14/341
 D696,662 S * 12/2013 Song D14/341
 D714,782 S * 10/2014 Ohshima D14/341
 D718,308 S * 11/2014 Nishizawa D14/389
 D719,161 S * 12/2014 Huebner D14/389
 D735,188 S * 7/2015 Oh D14/341
 D744,481 S * 12/2015 Yokoyama D14/341
 D744,484 S * 12/2015 Huebner D14/389
 D766,370 S * 9/2016 Hoch D19/113
 D785,706 S * 5/2017 Hoch D19/113
 D801,330 S * 10/2017 Morgan D14/341
 D815,631 S * 4/2018 Kim D14/341
 D820,252 S * 6/2018 Huebner D14/341
 D827,635 S * 9/2018 Wei D14/341
 D841,645 S * 2/2019 Huebner D14/341
 D856,322 S * 8/2019 Huebner D14/341

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9