

US00D874619S

(12) **United States Design Patent** (10) **Patent No.:** **US D874,619 S**
Simon et al. (45) **Date of Patent:** **** Feb. 4, 2020**

(54) **FITTING**

(71) Applicant: **IPEX TECHNOLOGIES INC.,**
Oakville (CA)

(72) Inventors: **Jis Simon**, Brampton (CA); **Filippo Martino**, Oakville (CA); **Ivan Lee Stiehl**, Burlington (CA); **James Bruce Anthony Campbell**, Mississauga (CA); **Raymond George Puache**, Toronto (CA); **Paul Agapito**, Toronto (CA); **Qing Li**, Oakville (CA)

(73) Assignee: **IPEX TECHNOLOGIES INC.,**
Oakville (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/623,288**

(22) Filed: **Oct. 24, 2017**

(30) **Foreign Application Priority Data**

Sep. 25, 2017 (CA) 177231

(51) **LOC (12) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/262**

(58) **Field of Classification Search**

USPC D23/259, 262, 263, 265–266; 285/15, 285/16, 31, 33, 45, 53, 86, 104, 125.1, 285/179, 180, 285.1, 294.1, 294.3, 417, 3, 285/39, 105, 113, 257, 305, 321, 323, 285/340, 423; 251/146–152; 138/99; D8/356, 382, 395–396

CPC F16L 59/14; F16L 17/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D140,617 S * 3/1945 Rocic 285/365
4,111,464 A 9/1978 Asano et al.

D332,482 S * 1/1993 Petty D23/262
5,356,183 A * 10/1994 Cole F16L 25/0045
285/148.27
5,403,043 A * 4/1995 Smet F16L 37/2445
285/148.21
5,813,705 A * 9/1998 Dole F16L 37/148
285/305
D414,405 S * 9/1999 Tompkins D8/396
(Continued)

FOREIGN PATENT DOCUMENTS

EP 0 397 942 A1 11/1990

OTHER PUBLICATIONS

IPEX 189680 PVC Gray Male Threaded Connector; Monarch Website Copyright 2019; Visited Online Sep. 3, 2019; <https://www.monarchelectric.com/ipex-189680-pvc-gray-male-threaded-connector-with-locknuts-1-1-4-inch-kwikon-reg-7013> (Year: 2019).*

Primary Examiner — Amy C Wierenga

(57) **CLAIM**


We claim the ornamental design for a fitting, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the fitting in its environment with a pipe inserted in one end;
FIG. 2 is a front and top perspective view of the fitting;
FIG. 3 is a side view of the design shown in FIG. 2;
FIG. 4 is a top view of the design shown in FIG. 2;
FIG. 5 is a bottom view of the design shown in FIG. 2; and,
FIG. 6 is a cross sectional view of the design shown in FIG. 1 taken along line 6 and shown in use with a pipe having been inserted in each end.

The broken lines shown in the drawings illustrate environmental subject matter only that form no part of the claim.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,471,253	B2 *	10/2002	Schilt	F16L 37/088 285/321
6,663,145	B1 *	12/2003	Lyall, III	F16L 37/091 285/104
D653,310	S *	1/2012	Texier	D23/262
8,256,800	B2 *	9/2012	Ward	F16L 21/00 285/236
8,322,755	B2 *	12/2012	Kluss	F16L 37/0915 285/314
8,448,995	B2 *	5/2013	Ward	F16L 21/005 285/236

* cited by examiner

Fig. 1




Fig. 3




Fig. 2




Fig. 5





Fig. 4






Fig. 6