



US00D874659S

(12) **United States Design Patent** (10) **Patent No.:** **US D874,659 S**
Wetmore et al. (45) **Date of Patent:** **** Feb. 4, 2020**

(54) **ELECTRODE ASSEMBLY FOR TRANSDERMAL STIMULATION**
(71) Applicant: **NEWDIN CO., LTD.**, Seoul (KR)
(72) Inventors: **Daniel Z Wetmore**, Brooklyn, NY (US); **William J Tyler**, Cave Creek, AZ (US)
(73) Assignee: **NEWDIN CONTENTS Co., Ltd.**, Seoul (KR)
(**) Term: **15 Years**
(21) Appl. No.: **29/597,231**
(22) Filed: **Mar. 15, 2017**
(51) **LOC (12) Cl.** **24-01**
(52) **U.S. Cl.**
USPC **D24/187**
(58) **Field of Classification Search**
USPC D24/165–168, 186, 187, 200, 231, 232; D10/70, 75, 78, 97, 98; D14/203.6, 344; 600/301, 382–384, 386, 390, 483, 600/500–503, 508, 509, 513; 128/DIG. 15
CPC A61B 5/0205; A61B 5/02055; A61B 5/02405; A61B 5/02444; A61B 5/4809; A61B 5/1102; A61B 5/6801; A61B 5/6802; A61B 5/6813; A61B 5/6814; A61B 5/6815; A61B 5/6816; A61B 5/6817; A61B 5/6818; A61B 5/6819; A61B 5/6822; A61B 5/6823; A61B 5/6824; A61B 5/6825; A61B 5/6826; A61B 5/6828; A61B 5/0444; A61B 5/0448; A61B 5/0432; A61B 5/02411; A61B 5/0011; A61B 5/4343; A61B 5/4362; A61B 5/4356; A61B 5/6833; A61B 5/0478; A61G 2203/36

See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D456,907 S *	5/2002	Sanfilippo	D24/187
D475,138 S *	5/2003	Baura	D24/187
D495,055 S *	8/2004	Silber	D24/187
D536,673 S *	2/2007	Silber	D24/187
D590,342 S *	4/2009	Davila	D13/121
D665,085 S *	8/2012	Strother	D24/187
D746,994 S *	1/2016	Lewis, Jr.	D24/187
D758,595 S *	6/2016	Zhao	D24/167
D779,457 S *	2/2017	Donovan	D14/216
D829,917 S *	10/2018	Duck	D24/187
D831,830 S *	10/2018	Lemons	D24/168
2019/0046787 A1 *	2/2019	Tyler	A61N 1/0456
2019/0223801 A1 *	7/2019	Mazar	A61B 5/04085

* cited by examiner

Primary Examiner — Barbara Fox
Assistant Examiner — Mary Shannon Malley
(74) *Attorney, Agent, or Firm* — Revolution IP, PLLC

(57) **CLAIM**
The ornamental design for an electrode assembly for transdermal stimulation, substantially as shown and described.

DESCRIPTION
FIG. 1 is a top view of an electrode assembly for transdermal stimulation in accordance with the present invention. FIG. 2 is a bottom view of the electrode assembly for transdermal stimulation of FIG. 1. FIG. 3 is a first side view of the electrode assembly for transdermal stimulation of FIG. 1; and, FIG. 4 is a second side view of the electrode assembly for transdermal stimulation of FIG. 1. The broken lines immediately adjacent to the shaded areas represent the bounds of the claimed design, all other broken lines represent environmental subject matter that form no part of the claimed design.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3



FIG. 4

