



US00D874709S

(12) **United States Design Patent**
Coleman et al.

(10) **Patent No.:** **US D874,709 S**

(45) **Date of Patent:** **** Feb. 4, 2020**

(54) **LIGHTING APPLIANCE WITH MULTIPLE DETECTION MODES**

(71) Applicant: **Good Earth Lighting, Inc.**, Mount Prospect, IL (US)

(72) Inventors: **Brian Coleman**, Hawthorn Woods, IL (US); **Brian A. Calderon**, Skokie, IL (US)

(73) Assignee: **GOOD EARTH LIGHTING, INC.**, Mount Prospect, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/622,667**

(22) Filed: **Oct. 18, 2017**

(51) **LOC (12) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/89; D26/85**

(58) **Field of Classification Search**
USPC **D26/72, 76, 80, 85, 89; D10/106.6, D10/106.8**

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D576,332 S * 9/2008 Ruud D26/72
7,591,572 B1 9/2009 Levine

(Continued)

OTHER PUBLICATIONS

Lithonia Lighting FMMCL 840 PIR M4 7-Inch LED Flush Mount Light with Motion Sensor, 575 Lumens, 120 Volts, 10 Watts, Wet Listed, White. First available at amazon.com Aug. 26, 2015. (Year: 2015).*

(Continued)

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — McDermott Will & Emery LLP

(57) **CLAIM**

We claim the ornamental design for a lighting appliance with multiple detection modes, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a lighting appliance with multiple detection modes according to a new design.

FIG. 2 is a bottom perspective view the lighting appliance with multiple detection modes shown in FIG. 1.

FIG. 3 is a top view of the lighting appliance with multiple detection modes shown in FIG. 1.

FIG. 4 is a bottom view of the lighting appliance with multiple detection modes shown in FIG. 1.

FIG. 5 is a front view of the lighting appliance with multiple detection modes shown in FIG. 1.

FIG. 6 is a rear view of the lighting appliance with multiple detection modes shown in FIG. 1.

FIG. 7 is a right side view of the lighting appliance with multiple detection modes shown in FIG. 1.

FIG. 8 is a left side view of the lighting appliance with multiple detection modes shown in FIG. 1.

FIG. 9 is a top perspective view of a second embodiment of a lighting appliance with multiple detection modes according to a new design.

FIG. 10 is a bottom perspective view of the lighting appliance with multiple detection modes shown in FIG. 9.

FIG. 11 is a top view of the lighting appliance with multiple detection modes shown in FIG. 9.

FIG. 12 is a bottom view of the lighting appliance with multiple detection modes shown in FIG. 9.



FIG. 13 is a front view of the lighting appliance with multiple detection modes shown in FIG. 9.

FIG. 14 is a rear view of the lighting appliance with multiple detection modes shown in FIG. 9.

FIG. 15 is a left side view of the lighting appliance with multiple detection modes shown in FIG. 9; and,

FIG. 16 is a right side view of the lighting appliance with multiple detection modes shown in FIG. 9.

1 Claim, 10 Drawing Sheets



(58) **Field of Classification Search**

CPC F21S 8/03; F21S 8/033; F21S 8/036; F21S 8/037; F21S 9/022; F21S 9/024; F21S 9/03; F21S 9/035; F21S 9/037; F21W 2131/107; G08B 13/193

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D603,997 S * 11/2009 Shiu D26/72
7,726,839 B2 6/2010 Chien
7,726,841 B2 6/2010 Chien
7,726,869 B2 6/2010 Chien
D650,507 S * 12/2011 Osiecki D26/72
8,083,392 B2 12/2011 Chien
D668,375 S * 10/2012 Daniels D26/89
8,827,511 B2 9/2014 Chien
D720,092 S * 12/2014 Trice D26/26
D728,144 S * 4/2015 Recker D26/85
9,338,839 B2 5/2016 Recker et al.
D769,509 S * 10/2016 Chen D26/89

9,605,845 B2 3/2017 Chien
D783,195 S * 4/2017 Gan D26/89
D784,592 S * 4/2017 Gan D26/72
9,625,125 B1 * 4/2017 Bryant F21S 8/033
9,645,304 B2 5/2017 Nichol et al.
9,655,217 B2 5/2017 Recker et al.
D803,461 S * 11/2017 Jeswani D26/89
D830,607 S * 10/2018 Recker D26/85
2006/0176697 A1 8/2006 Arruda
2008/0205060 A1 8/2008 Chien
2012/0106202 A1 5/2012 Chien
2013/0039055 A1 * 2/2013 Wilson B60Q 3/74
362/235
2015/0345775 A1 12/2015 Chien
2016/0003466 A1 1/2016 Chien
2016/0249438 A1 8/2016 Recker et al.
2017/0093210 A1 3/2017 Recker et al.

OTHER PUBLICATIONS

Ring Smart Lighting, Motion Sensor found at amazon.com visited Jun. 24, 2019. (Year: 2019).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 16




FIG. 15