



US00D874880S

(12) **United States Design Patent** (10) **Patent No.:** **US D874,880 S**
Zhang (45) **Date of Patent:** **** Feb. 11, 2020**

- (54) **THERMALLY INSULATING MEMBER**
- (71) Applicant: **LIAN YI DESIGN ENTERPRISE CO., LTD.**, Kaohsiung (TW)
- (72) Inventor: **Shao-wen Zhang**, Kaohsiung (TW)
- (73) Assignee: **LIAN YI DESIGN ENTERPRISE CO., LTD.**, Kaohsiung (TW)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/604,936**
- (22) Filed: **May 22, 2017**

- 4,957,791 A * 9/1990 Richter B31D 1/0031
383/103
- 5,226,585 A * 7/1993 Varano A47G 19/2288
229/400
- D383,947 S 9/1997 Schaefer
- 5,667,135 A 9/1997 Schaefer
- D643,689 S 8/2011 Selina et al.
- D656,365 S 3/2012 Bickert et al.
- D657,202 S 4/2012 Sanders
- D679,554 S 4/2013 Molz
- D682,043 S 5/2013 Sanders
- D686,041 S 7/2013 Sanders
- 8,727,296 B1 * 5/2014 Dyer A47G 19/08
220/739
- D741,662 S 10/2015 Steel
- D774,836 S * 12/2016 Bussey, Jr. D7/607
- D797,524 S * 9/2017 Zhang A47G 19/08
D7/624.2
- D842,052 S * 3/2019 Laustsen B31D 1/0031
D7/624.2

Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/516,870, filed on Feb. 6, 2015, now Pat. No. Des. 797,524.
- (51) **LOC (12) Cl.** **07-06**
- (52) **U.S. Cl.**
USPC **D7/624.2**
- (58) **Field of Classification Search**
USPC D7/601, 602, 619.1, 620, 701, 708.1,
D7/624.1-624.3, 607; D3/202, 229;
D12/419, 420; D9/444, 455
CPC A47B 55/00; A47B 55/02; A47B 73/00;
A47B 73/002; A47B 73/004; A47B
73/006; A47B 73/008; A47B 69/00;
A47G 23/0266; B65D 81/18; B65D
81/3876; B65D 81/3886; E04B 1/80;
F25D 23/06; F25D 2201/1282
See application file for complete search history.

(Continued)

Primary Examiner — Keli L Hill
(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.

(57) **CLAIM**

The ornamental design for a thermally insulating member, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a thermally insulating member showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a left side elevational view thereof; and, FIG. 8 is another front view thereof, shown in an alternate position.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,261,307 A * 11/1941 George E04B 1/80
112/441
- 3,781,183 A 12/1973 Doll

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D842,658 S * 3/2019 Groth A47G 19/2288
D7/624.2
D846,358 S * 4/2019 Winter E04B 1/80
D7/624.2
2008/0164270 A1 7/2008 Puerini et al.
2015/0151895 A1 6/2015 Zhang

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8