



US00D874899S

(12) **United States Design Patent** (10) **Patent No.:** **US D874,899 S**
Lin (45) **Date of Patent:** **** Feb. 11, 2020**

(54) **DRILL TOOL**
(71) Applicant: **Fu-Hsing Lin**, Taipei (TW)
(72) Inventor: **Fu-Hsing Lin**, Taipei (TW)
(**) Term: **15 Years**
(21) Appl. No.: **29/647,465**
(22) Filed: **May 14, 2018**
(51) **LOC (12) Cl.** **08-05**
(52) **U.S. Cl.**
USPC **D8/70; D15/139**
(58) **Field of Classification Search**
USPC D8/70, 90, 98, 120; D15/124-144
CPC B23C 2200/0411; B23C 2200/0416; B23C
2200/0433; B23C 2200/164; B23C
2200/361; B23C 2210/0457; B23C 5/006;
B23C 2200/168; B23C 2210/163; B23C
2226/125; B23C 5/10; B23C 2200/081;
B23C 2200/087; B23C 2200/161; B23C
2200/206; B23C 2210/02; B23C 2210/03;
B23C 2210/166; B23C 2210/50; B23C
2226/315; B23C 5/2208; B23C 5/2472;
B23C 2200/0477; B23C 2200/0483;
B23C 2200/083; B23C 2200/121; B23C
2200/362; B23C 2210/0428; B23C
2210/0435; B23C 2210/16; B23C
2220/36; B23C 2220/44; B23C 2240/08;
B23C 2250/12; B23C 2270/06; B23C
5/2204; B23C 5/2213; B23C 5/2247;
B23C 5/2427; B23C 2200/0422; B23C
2200/08; B23C 2200/086; B23C
2200/123
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
4,789,276 A * 12/1988 Clarke B23B 51/02
408/230
D343,563 S * 1/1994 Tinault D8/70

D345,495 S * 3/1994 Priddy D8/70
D347,848 S * 6/1994 Maynard, Jr. D15/139
5,470,180 A * 11/1995 Jore B23B 31/1071
279/14
D379,578 S * 6/1997 Daniels D8/70
D390,239 S * 2/1998 Malin D15/139
D408,424 S * 4/1999 Schmotzer D15/139
5,971,673 A * 10/1999 Berglund B23B 51/02
408/1 R
D419,575 S * 1/2000 Kouvelis D15/139
6,045,305 A * 4/2000 Plummer B23B 51/02
408/226
D428,027 S * 7/2000 Kouvelis D15/139
D430,584 S * 9/2000 Kouvelis D15/139
D449,504 S * 10/2001 Boyle D8/70
6,739,872 B1 * 5/2004 Turri A61B 17/16
433/75
D504,446 S * 4/2005 Kobayashi D15/139
D523,313 S * 6/2006 Ellis D8/70
7,152,509 B2 * 12/2006 McCalley, Jr. B25B 27/18
81/53.2

(Continued)

Primary Examiner — Darlington Ly
(74) *Attorney, Agent, or Firm* — Larry E. Henneman, Jr.;
Baker & Rannells, PA


(57) **CLAIM**

The ornamental design for a drill tool, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a drill tool, showing my new design;
FIG. 2 is a front elevation view of the drill tool;
FIG. 3 is a rear elevation view of the drill tool;
FIG. 4 is a left-side elevation view of the drill tool;
FIG. 5 is a right-side elevation view of the drill tool;
FIG. 6 is a top plan view of the drill tool; and,
FIG. 7 is a bottom plan view of the drill tool.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,422,396 B2 * 9/2008 Takikawa B23B 51/0018
408/1 R
D609,257 S * 2/2010 Frejd D15/139
D613,318 S * 4/2010 Frejd D15/139
D635,429 S * 4/2011 Hakki D15/140
D774,868 S * 12/2016 Ouyang D8/70
9,662,717 B2 * 5/2017 Prom B23B 51/02
D815,672 S * 4/2018 Shikama D15/139
D823,089 S * 7/2018 Shikama D8/70
D833,490 S * 11/2018 Defougeres D15/139
2002/0015623 A1 * 2/2002 Eriksson B23B 51/02
407/53
2002/0057951 A1 * 5/2002 Silver B23B 51/02
408/1 R

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7