



US00D874906S

(12) **United States Design Patent**
Ruddick et al.

(10) **Patent No.:** **US D874,906 S**

(45) **Date of Patent:** **** Feb. 11, 2020**

(54) **CABLE HOLDER**

(71) Applicant: **D-Line (Europe) Ltd**, North Shields (GB)

(72) Inventors: **Paul Ruddick**, North Shields (GB);
Stephen Bianchi, North Shields (GB)

(73) Assignee: **D-LINE (EUROPE) LIMITED**, North Shields (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/674,140**

(22) Filed: **Dec. 19, 2018**

(30) **Foreign Application Priority Data**

Jun. 19, 2018 (EP) 005316825-0001
Jun. 19, 2018 (EP) 005316825-0002
Jun. 19, 2018 (EP) 005316825-0003

(51) **LOC (12) Cl.** **09-06**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**
USPC D8/356, 354, 349, 99, 105, 360;
D13/155; 320/107; 403/322.2; D3/201;
431/274
CPC H02J 7/0026; H02J 7/0021; H02J 7/0027;
Y02E 60/12; F16B 45/00; F16B 7/042;
F23Q 1/06; A63B 29/02; A62B 1/14;
B65H 57/16
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D281,950 S * 12/1985 Sachs D8/370
D283,787 S * 5/1986 Chap D8/370

4,714,221 A * 12/1987 Cawrey A47F 5/0823
248/220.42
D373,072 S * 8/1996 Durante D8/367
D404,127 S * 1/1999 Lammers D24/141
D422,888 S * 4/2000 Outten D8/367
D458,116 S * 6/2002 Roethler D8/367
D489,963 S * 5/2004 Mazooji et al. D8/370
D504,934 S * 5/2005 Amburgey D22/149
D532,074 S * 11/2006 Travis, Sr. D22/149
D546,147 S * 7/2007 Cullen D8/16
D554,980 S * 11/2007 Mihelis D8/356
7,494,095 B2 * 2/2009 Walker et al. 248/48.2
D587,470 S * 3/2009 Croisdale D6/317
D600,102 S * 9/2009 Larkin D8/370

(Continued)

Primary Examiner — Cynthia R Underwood

(74) *Attorney, Agent, or Firm* — Alleman Hall Creasman & Tuttle LLP


(57) **CLAIM**

The ornamental design for a cable holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cable holder.
FIG. 2 is another perspective view of the cable holder of FIG. 1.
FIG. 3 is a front elevation view of the cable holder of FIG. 1.
FIG. 4 is a back elevation view of the cable holder of FIG. 1.
FIG. 5 is a right-side elevation view of the cable holder of FIG. 1.
FIG. 6 is a left-side elevation view of the cable holder of FIG. 1.
FIG. 7 is a top plan view of the cable holder of FIG. 1; and, FIG. 8 is a bottom plan view of the cable holder of FIG. 1. FIGS. 1-8 depict an ornamental design for a cable holder. The cable holder may be used to secure a cable, for example to a surface via use of a fastener.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,677,504	B2 *	3/2010	Hutchinson	E04D 13/076 248/48.2
7,757,996	B2 *	7/2010	Jacobs	248/64
7,823,852	B1 *	11/2010	Reno	248/302
D629,291	S *	12/2010	Veilleux	D8/370
D631,332	S *	1/2011	Bauer et al.	D8/367
D632,952	S *	2/2011	Dablemont	D8/367
D644,088	S *	8/2011	Gallaty	D8/354
D648,208	S *	11/2011	Platt	D8/367
8,162,361	B2 *	4/2012	Biddington	F24B 15/002 294/14
D661,574	S *	6/2012	Platt	D8/367
D668,938	S *	10/2012	Morales	D8/367
D698,105	S *	1/2014	Huster	D30/199
D753,984	S *	4/2016	Combs	D8/354

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8

