



US00D875393S

(12) **United States Design Patent**
Goeckel

(10) **Patent No.:** **US D875,393 S**

(45) **Date of Patent:** **** Feb. 18, 2020**

(54) **FISHING WEIGHT STORAGE DEVICE**

(71) Applicant: **Gregory W. Goeckel**, Ofallon, IL (US)

(72) Inventor: **Gregory W. Goeckel**, Ofallon, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/556,079**

(22) Filed: **Feb. 26, 2016**

(51) **LOC (12) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/260; D22/134**

(58) **Field of Classification Search**
USPC D3/201, 254, 260; D22/134, 199
CPC A01K 97/06; A47F 5/0823
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,755,903	A *	4/1930	Townsend	A01K 97/06 43/57.1
4,631,856	A *	12/1986	Born	A01K 97/06 206/315.11
5,386,662	A *	2/1995	Vader	A01K 97/06 206/315.11
8,458,951	B2 *	6/2013	Taylor	A01K 97/06 43/54.1
9,320,267	B2 *	4/2016	Smith	A01K 97/06
D772,339	S *	11/2016	Wessel, IV	D20/27
D794,743	S *	8/2017	Goeckel	D22/134
9,807,993	B2 *	11/2017	Montoya	A47F 5/0823

* cited by examiner

Primary Examiner — Holly E Thurman

(74) *Attorney, Agent, or Firm* — Thomas E. Lees, LLC

(57) **CLAIM**

The ornamental design for a fishing weight storage device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a fishing weight storage device, illustrated in a single-wide configuration, showing my new design;

FIG. 2 is a front side elevational view of the fishing weight storage device of FIG. 1;

FIG. 3 is a rear side elevational view of the fishing weight storage device of FIG. 1;

FIG. 4 is a top plan view of the fishing weight storage device of FIG. 1;

FIG. 5 is a right end elevational view of the fishing weight storage device of FIG. 1;

FIG. 6 is a left end elevational view of the fishing weight storage device of FIG. 1;

FIG. 7 is a bottom plan view of the fishing weight storage device of FIG. 1;

FIG. 8 is a perspective view of the fishing weight storage device, illustrated in a double-wide configuration, showing my new design;

FIG. 9 is a front side elevational view of the fishing weight storage device of FIG. 8;

FIG. 10 is a rear side elevational view of the fishing weight storage device of FIG. 8;

FIG. 11 is a top plan view of the fishing weight storage device of FIG. 8;


FIG. 12 is a right end elevational view of the fishing weight storage device of FIG. 8;

FIG. 13 is a left end elevational view of the fishing weight storage device of FIG. 8; and,

FIG. 14 is a bottom plan view of the fishing weight storage device of FIG. 8.

The broken lines represent portions of the structure that form no part of the claim.

1 Claim, 4 Drawing Sheets






FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 11




FIG. 10




FIG. 12




FIG. 13




FIG. 14