



US00D875435S

(12) **United States Design Patent** (10) **Patent No.:** **US D875,435 S**
Vertuca, III et al. (45) **Date of Patent:** **** Feb. 18, 2020**

(54) **POSTURE SEAT**

(71) Applicant: **BACKJOY ORTHOTICS, LLC,**
Niwot, CO (US)

(72) Inventors: **Carl R. Vertuca, III,** Niwot, CO (US);
Peter C. Prust, Zionsville, IN (US)

(73) Assignee: **BACKJOY ORTHOTICS, LLC,**
Niwot, CO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/642,640**

(22) Filed: **Mar. 30, 2018**

(51) **LOC (12) Cl.** **06-09**

(52) **U.S. Cl.**

USPC **D6/601**

(58) **Field of Classification Search**

USPC D6/334, 335, 349, 352, 355, 363, 369,
D6/374-376, 378, 379-382, 601, 711,
D6/716-716.3

CPC A47C 1/16; A47C 3/04; A47C 3/12; A47C
5/02; A47C 5/04; A47C 5/14; A47C 7/02;
A47C 7/16; A47C 7/18; A47C 7/24;
A47C

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D417,087 S * 11/1999 Pellegrom D6/351
D460,300 S * 7/2002 Fifield D6/716.1

(Continued)

Primary Examiner — R. Johnson

(74) Attorney, Agent, or Firm — Brooks Acordia IP Law,
PC; Michael Zarrabian

(57) **CLAIM**

The ornamental design for a posture seat, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a posture seat showing the first embodiment of our new design;

FIG. 2 is a bottom perspective view of the embodiment of FIG. 1;

FIG. 3 is a front elevational view of the embodiment of FIG. 1;

FIG. 4 is a rear elevational view of the embodiment of FIG. 1;

FIG. 5 is a left side elevational view of the embodiment of FIG. 1;

FIG. 6 is a right side elevational view of the embodiment of FIG. 1;

FIG. 7 is top plan view of the embodiment of FIG. 1;

FIG. 8 is a bottom plan view of the embodiment of FIG. 1;

FIG. 9 is a top perspective view of the second embodiment of the posture seat having an alternate underside;

FIG. 10 is a bottom perspective view of the embodiment of FIG. 9;

FIG. 11 is a front elevational view of the embodiment of FIG. 9;

FIG. 12 is a rear elevational view of the embodiment of FIG. 9;


FIG. 13 is a left side elevational view of the embodiment of FIG. 9;

FIG. 14 is a right side elevational view of the embodiment of FIG. 9;

FIG. 15 is top plan view of the embodiment of FIG. 9; and, FIG. 16 is a bottom plan view of the embodiment of FIG. 9.

Surface shading is used to shade FIGS. 1-16 to show clearly the character and contour of all surfaces of the 3-dimensional aspects of the design and form a part of the design sought to be protected. FIGS. 9-16 are a second embodiment of the posture seat illustrated in FIGS. 1-9, the only difference being the underside not including a grip.

1 Claim, 16 Drawing Sheets



(58) **Field of Classification Search**

CPC 7/40; A47C 7/56; A47C 11/00; A47C
11/005; A47C 13/005; A47C 15/002;
A47C 17/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,671,482	B2 *	3/2014	Willingham	A47C 3/12 5/653
D715,567	S *	10/2014	Lensing	D6/349
D734,959	S *	7/2015	Pong	D6/601
D735,495	S *	8/2015	Pong	D6/601
D758,672	S *	6/2016	Hansen	D30/118
D776,458	S *	1/2017	Verde Sanchez	D6/601
D805,323	S *	12/2017	Chan	D6/601
D818,653	S *	5/2018	Song	D30/118
D840,724	S *	2/2019	Dowd	D6/601
2009/0140562	A1 *	6/2009	Boulware, Sr.	B60N 2/58 297/219.1
2015/0108799	A1 *	4/2015	Jones	B60N 2/6027 297/219.1

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16