



US00D875512S

(12) **United States Design Patent**
Uchida et al.

(10) **Patent No.:** **US D875,512 S**
(45) **Date of Patent:** **** Feb. 18, 2020**

(54) **FEMALE MEMBER FOR SURFACE FASTENER**

(71) Applicant: **Nitto Denko Corporation**, Osaka (JP)

(72) Inventors: **Shou Uchida**, Osaka (JP); **Shinsuke Ikishima**, Osaka (JP)

(73) Assignee: **Nitto Denko Corporation**, Osaka (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/546,765**

(22) Filed: **Nov. 25, 2015**

(30) **Foreign Application Priority Data**

May 29, 2015 (JP) 2015-012045

(51) **LOC (12) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/382**; D24/189

(58) **Field of Classification Search**

USPC D8/349, 382, 356, 383, 394; D11/200, D11/201, 208; D24/189; D5/56, 59, 61, D5/99

CPC . A44B 18/00; A44B 18/0003; A44B 18/0007; A44B 18/0011; A44B 18/0015; A44B 18/0046; A44B 18/0057; A44B 18/0061; A44B 18/0073; A44B 18/0088; A44B 18/0092; Y10T 24/2767; Y10T 24/2792; Y10T 24/27; C09J 2201/122; C09J 2201/16; C09J 2201/28; C09J 2201/618; C09J 2201/626; C09J 2400/263; A61F 13/0259; A61L 15/58; A61L 2300/60; A61L 2300/608

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D144,378 S * 4/1946 Harris D25/139
2,532,011 A * 11/1950 Hendricks A61L 15/50
428/40.1

D161,106 S * 12/1950 Hirsch D5/47
3,899,803 A * 8/1975 Brumlik A44B 18/0061
24/304
D268,961 S * 5/1983 Erickson D5/53
D274,361 S * 6/1984 Whitehead D24/125
4,699,133 A * 10/1987 Schafer A61F 13/00987
602/77
4,920,617 A * 5/1990 Higashinaka A44B 18/0038
24/442
5,015,251 A * 5/1991 Cherubini A44B 18/0003
128/DIG. 15

(Continued)

FOREIGN PATENT DOCUMENTS

FR 952909001 8/1995
TW D156666 S 11/2013

Primary Examiner — Sandra S Snapp

Assistant Examiner — Ieisha N Price

(74) *Attorney, Agent, or Firm* — The Webb Law Firm

(57) **CLAIM**


The ornamental design for a female member for surface fastener, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a female member for surface fastener showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a section cut view thereof taken along line 7-7 shown in FIG. 1; and,
FIG. 8 is an enlarged view thereof defined by area 8 shown in FIG. 7.

The portions of the female member for surface fastener shown in broken lines form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D390,708 S * 2/1998 Brown D5/53
 5,964,742 A * 10/1999 McCormack D04H 1/54
 604/380
 D428,267 S * 7/2000 Romano, III D5/2
 6,115,891 A * 9/2000 Suenaga A44B 18/0049
 24/304
 6,119,591 A * 9/2000 Chen A43C 9/04
 101/35
 D445,897 S * 7/2001 Oberstadt D24/124
 D446,302 S * 8/2001 Blenke D24/126
 D475,510 S * 6/2003 Reynolds D2/946
 D475,511 S * 6/2003 Reynolds D2/946
 D594,778 S * 6/2009 Yang D11/201
 D602,989 S * 10/2009 Alicea D19/69
 D621,051 S * 8/2010 Kase D24/189
 7,803,244 B2 * 9/2010 Siqueira A61F 13/4902
 156/229
 D636,607 S * 4/2011 Withers A47J 36/02
 D5/56
 D640,379 S * 6/2011 Hope D24/189
 D657,958 S * 4/2012 Ehrman D5/56

D671,754 S * 12/2012 Romano, III D5/59
 D695,097 S * 12/2013 Wood D8/382
 8,683,840 B2 * 4/2014 Tuma A44B 18/0003
 24/442
 D714,560 S * 10/2014 Xu D5/56
 D716,643 S * 11/2014 Arbesman D8/382
 D725,916 S * 4/2015 Haverfield D5/60
 9,205,002 B2 * 12/2015 Kase A61F 13/0253
 D746,996 S * 1/2016 Karlsson D24/189
 D757,950 S * 5/2016 Karlsson D24/189
 D765,425 S * 9/2016 Aragon D5/45
 D765,993 S * 9/2016 Palzewicz D5/53
 D766,448 S * 9/2016 Gergely D24/189
 D780,317 S * 2/2017 Vandervoort D24/189
 D819,983 S * 6/2018 Barran D5/56
 2003/0074771 A1 * 4/2003 Duffy A44B 18/0049
 24/442
 2012/0096688 A1 * 4/2012 Cheng A44B 18/0034
 24/442
 2012/0295054 A1 * 11/2012 Hope A61L 15/58
 428/41.8
 2018/0020782 A1 * 1/2018 Morar A44B 18/0011
 24/411

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4

FIG. 5

FIG. 6




FIG. 8




FIG. 7