



US00D875520S

(12) **United States Design Patent**
Zeitlin et al.

(10) **Patent No.:** **US D875,520 S**

(45) **Date of Patent:** **** *Feb. 18, 2020**

(54) **COMBINATION CLAMSHELL-OUTER BOX**

(71) Applicant: **Altria Client Services LLC**,
Richmond, VA (US)

(72) Inventors: **Gavriel Zeitlin**, Beit Shemesh (IL);
Yishiaya Garfinkel, Bet Shemesh (IL)

(73) Assignee: **Altria Client Services LLC**,
Richmond, VA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/670,378**

(22) Filed: **Nov. 15, 2018**

Related U.S. Application Data

(63) Continuation of application No. 29/600,857, filed on Apr. 17, 2017, now Pat. No. Des. 833,863, which is a continuation of application No. 29/534,638, filed on Jul. 30, 2015, now Pat. No. Des. 784,124.

(51) **LOC (12) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/418; D9/444**

(58) **Field of Classification Search**
USPC D3/201, 202, 203.1, 203.2, 203.3, 204;
D9/414-419, 421-425, 427-436, 443,
D9/444, 447, 455-457, 499
CPC B65D 77/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D48,897 S	4/1916	Hubbard, Jr. et al.
D182,654 S	4/1958	Glaberson
D245,762 S	9/1977	Takacs
D278,412 S	4/1985	Yeung

D309,570 S	7/1990	Kinoshita	
D335,445 S *	5/1993	Detert	D9/761
D335,820 S *	5/1993	Detert	D9/761
D335,821 S *	5/1993	Detert	D9/761
D336,241 S *	6/1993	Detert	D9/761
D336,242 S *	6/1993	Detert	D9/761
D337,049 S	7/1993	Morgan et al.	
D373,901 S	9/1996	Bergstedt	
D458,127 S	6/2002	de Groote	
D482,609 S	11/2003	Weinstock	
D527,182 S	8/2006	Ham	
D623,050 S	9/2010	Giraud et al.	
D640,568 S	6/2011	Cluett et al.	

(Continued)

Primary Examiner — Darcey E Gottschalk

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**


The ornamental design for a combination clamshell-outer box, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combination clamshell-outer box;
FIG. 2 is a front elevation view of the combination clamshell-outer box of FIG. 1;
FIG. 3 is a rear elevation view of the combination clamshell-outer box of FIG. 1;
FIG. 4 is a left elevation view of the combination clamshell-outer box of FIG. 1;
FIG. 5 is a right elevation view of the combination clamshell-outer box of FIG. 1;
FIG. 6 is a top plan view of the combination clamshell-outer box of FIG. 1; and,
FIG. 7 is a bottom plan view of the combination clamshell-outer box of FIG. 1.

In the drawings, the broken lines showing portions of the combination clamshell-outer box depicts environment, and forms no part of the claim.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D746,671 S	1/2016	Fohner et al.	
D746,699 S	1/2016	Fath	
D758,805 S	6/2016	Myoung	
D780,598 S	3/2017	Zeitlin et al.	
D784,124 S	4/2017	Zeitlin et al.	
D795,056 S	8/2017	Zeitlin et al.	
D800,550 S	10/2017	Zeitlin et al.	
D806,378 S *	1/2018	Lerenthal	D3/201
D833,863 S *	11/2018	Zeitlin	D9/418
10,167,134 B2 *	1/2019	Zeitlin	A24F 15/20
D845,615 S *	4/2019	Mehregany	D3/203.3
2017/0010256 A1	1/2017	Inoue et al.	

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4

FIG. 5





FIG. 6




FIG. 7

