



US00D875524S

(12) **United States Design Patent**
Holmes et al.

(10) **Patent No.:** **US D875,524 S**

(45) **Date of Patent:** **** Feb. 18, 2020**

- (54) **BOTTLE STOPPER**
- (71) Applicants: **Paul Holmes**, Moscow Mills, MO
(US); **Ruth Niles**, Newville, PA (US)
- (72) Inventors: **Paul Holmes**, Moscow Mills, MO
(US); **Ruth Niles**, Newville, PA (US)

8,783,486 B1 * 7/2014 Hoyt B65D 79/005
215/355
D732,955 S * 6/2015 Peckels D9/440
D735,853 S * 8/2015 Pa D24/129
9,119,507 B2 * 9/2015 Abrams A47J 41/0022
D756,705 S * 5/2016 Abrams D7/510
D758,853 S * 6/2016 Seeuwen D9/439

(Continued)

(**) Term: **15 Years**

Primary Examiner — Michael A. Pratt
Assistant Examiner — Wendy L Arminio
(74) *Attorney, Agent, or Firm* — Sandra M. Kotin

(21) Appl. No.: **29/651,547**

(22) Filed: **Aug. 29, 2018**

(57) **CLAIM**

We claim the ornamental design for a bottle stopper, as shown and described.

(51) **LOC (12) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/439**

DESCRIPTION

(58) **Field of Classification Search**
USPC D9/414, 434–436, 438–440, 443–457,
D9/499, 503–505, 682, 685, 686;
D7/387, 391, 392, 392.1, 396.2–396.4,
D7/401.1, 507, 509–511, 538, 900;
D3/202, 203.2, 318; D28/91.1
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D
1/02; B65D 1/10; B65D 1/46; B65D
5/46; B65D 41/00; B65D 41/38; B65D
41/56; B65D 41/62; B65D 47/00; B65D
47/06; B65D 47/08; B65D 2251/00;
B65D 2543/00046; B65D 2543/00092;
B65D 2543/00296; B65D 2585/56; B65D
2585/545

FIG. 1 is a top plan view of the bottle stopper according to the present design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is an exploded front top perspective view of the bottle stopper shown with the O-rings removed and relocated below the bottle stopper for clarity of disclosure;
FIG. 8 is a front top perspective view thereof;
FIG. 9 is a front bottom perspective view thereof;
FIG. 10 is a front top perspective view of the bottle stopper of FIG. 1 shown in a position of use with a first means of attachment for a decorative element drawn in broken lines; and,
FIG. 11 is a front top perspective view of the bottle stopper of FIG. 1 shown in a position of use with a second means of attachment for a decorative element drawn in broken lines. The broken lines showing the means of attachment for a decorative element in FIGS. 10 and 11 depict environment and form no part of the claimed design.


See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 729,835 A * 6/1903 Barnes et al. B65D 39/16
215/299
- D56,108 S * 8/1920 Rustant D9/439
- D420,589 S * 2/2000 Baxter D9/439
- D575,639 S * 8/2008 Seeuwen D9/439
- D639,657 S * 6/2011 Hoyt D9/439

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D779,886 S * 2/2017 Singlaub D7/512
D780,574 S * 3/2017 Seeuwen D9/439
D805,164 S * 12/2017 Norman D23/259
D807,114 S * 1/2018 Niles D7/392.1
D815,256 S * 4/2018 Norman D23/259
D815,524 S * 4/2018 Seeuwen D9/439
D826,046 S * 8/2018 Niles D9/439
10,094,494 B2 * 10/2018 Norman F16L 13/14
D835,746 S * 12/2018 Ashley D22/108
2006/0000855 A1 * 1/2006 Allen B65D 47/06
222/484
2015/0014367 A1 * 1/2015 VanSyckel B65D 47/121
222/399
2015/0253055 A1 * 9/2015 Tsui B65D 21/086
62/62
2016/0332786 A1 * 11/2016 Schoen B65D 51/24

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 8




FIG. 9




FIG. 6




FIG. 7




FIG. 10




FIG. 11