



US00D875571S

(12) **United States Design Patent** (10) **Patent No.:** **US D875,571 S**
Hernandez (45) **Date of Patent:** **** Feb. 18, 2020**

(54) **MONITORING DEVICE**

2001/2217–2201/2297; G01N 25/56;
G01N 27/122; G01N 33/004–33/0075;
H04B 17/23

(71) Applicant: **3M INNOVATIVE PROPERTIES
COMPANY**, St. Paul, MN (US)

See application file for complete search history.

(72) Inventor: **Alonso M. Hernandez**, St. Paul, MN
(US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(73) Assignee: **3M Innovative Properties Company**,
St. Paul, MN (US)

5,322,612 A * 6/1994 Abe G01N 33/004
204/416
D412,452 S * 8/1999 Chan D10/52
9,964,386 B2 * 5/2018 Teetzel F42B 15/08

(**) Term: **15 Years**

* cited by examiner

(21) Appl. No.: **29/655,711**

(22) Filed: **Jul. 6, 2018**

Primary Examiner — Antoine Duval Davis

(51) **LOC (12) Cl.** **10-04**

(74) *Attorney, Agent, or Firm* — Kevin Weber

(52) **U.S. Cl.**
USPC **D10/52**

(57) **CLAIM**

The ornamental design for a monitoring device, as shown
and described.


(58) **Field of Classification Search**

USPC D10/75, 78, 52
CPC . G01L 7/02; G01L 7/022; G01L 7/024; G01L
7/026; G01L 7/04; G01L 7/08; G01L
9/00; G01L 9/0001; G01L 9/0026; G01L
9/0033; G01L 9/0041; G01L 9/0042;
G01L 9/0044; G01L 2019/0053; G01L
19/14; G01L 19/0092; G01L 19/141;
G01L 19/142; G01L 19/143; G01L
19/144; G01L 19/145; G01L 19/146;
G01L 19/147; G01L 19/148; G01L
19/149; A61B 90/06; A61B 2090/064;
G01N 1/22–1/2294; G01N

DESCRIPTION

FIG. 1 is a perspective view showing the new design for a
monitoring device;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7