



US00D875660S

(12) **United States Design Patent** (10) **Patent No.:** **US D875,660 S**
Thieman (45) **Date of Patent:** **** Feb. 18, 2020**

(54) **TIRE TREAD**
(71) Applicant: **COOPER TIRE & RUBBER COMPANY**, Findlay, OH (US)
(72) Inventor: **Kurt A. Thieman**, Fort Wayne, IN (US)

D781,220 S 3/2017 Scheifele et al.
D791,681 S 7/2017 Zhang et al.
D795,795 S * 8/2017 Robbins D12/579
D799,411 S * 10/2017 Dixon D12/602
D810,003 S 2/2018 Thieman
D816,593 S 5/2018 Westaway

(Continued)

(73) Assignee: **COOPER TIRE & RUBBER COMPANY**, Findlay, OH (US)

FOREIGN PATENT DOCUMENTS

CN 304553474 S 3/2018
CN 304762573 S 8/2018

(**) Term: **15 Years**

Primary Examiner — Robert M. Spear

(21) Appl. No.: **29/677,945**

(74) *Attorney, Agent, or Firm* — Fay Sharpe LLP

(22) Filed: **Jan. 24, 2019**

(57) **CLAIM**

(51) **LOC (12) Cl.** **12-15**
(52) **U.S. Cl.**

The ornamental design for a tire tread, as shown and described.

USPC **D12/602**

(58) **Field of Classification Search**

DESCRIPTION

USPC D12/579, 594, 595, 596, 597, 602, 603, D12/900

FIG. 1 is a perspective view of a tire tread of the present application taken generally from the front and a first side of the tire;

CPC B60C 2011/0344; B60C 2011/0346
See application file for complete search history.

FIG. 2 is a front view thereof (and the top, bottom, and rear views are the same based on the repeating nature of the tread design pattern throughout the circumference);

(56) **References Cited**

U.S. PATENT DOCUMENTS

D287,350 S 12/1986 Weston
D299,332 S * 1/1989 Carretta D12/602
D386,470 S 11/1997 Scheuren et al.
D390,818 S 2/1998 De Barsy et al.
D457,128 S * 5/2002 Robert D12/579
D493,415 S * 7/2004 Noailly D12/579
D595,641 S 7/2009 Carter et al.
D636,722 S * 4/2011 Davidson D12/602
D648,261 S 11/2011 Rayman
D649,927 S 12/2011 Cerny
D656,890 S 4/2012 Rittweger
D661,639 S 6/2012 Carter et al.
D737,199 S 8/2015 Gommez
D762,556 S 8/2016 Dixon et al.
D769,802 S 10/2016 Cerny
D780,105 S 2/2017 Renis

FIG. 3 is the first side view thereof (and the second side is the same as the first side);


FIG. 4 is an enlarged, partial perspective view thereof taken generally from the front and the first side of the tire;

FIG. 5 is an enlarged, partial front view thereof; and,

FIG. 6 is an enlarged, partial side view thereof.

The broken lines adjacent the tire shoulder in each figure depict the boundaries of the claim. The broken lines depict subject matter that forms no part of the claimed tire tread design, and are included for the purpose of illustrating the full tire. Likewise, the tire interior forms no part of the claim. The tread pattern is understood to repeat uniformly throughout the circumference of the tire.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D816,598 S	5/2018	Cerny	
D832,776 S *	11/2018	Louzri	D12/596
D860,928 S *	9/2019	Dixon	D12/602
D867,273 S *	11/2019	Dixon	D12/596

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6