



US00D875660S

(12) **United States Design Patent** (10) **Patent No.:** **US D875,660 S**
Thieman (45) **Date of Patent:** **** Feb. 18, 2020**

- (54) **TIRE TREAD**
- (71) Applicant: **COOPER TIRE & RUBBER COMPANY**, Findlay, OH (US)
- (72) Inventor: **Kurt A. Thieman**, Fort Wayne, IN (US)
- (73) Assignee: **COOPER TIRE & RUBBER COMPANY**, Findlay, OH (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/677,945**
- (22) Filed: **Jan. 24, 2019**
- (51) **LOC (12) Cl.** **12-15**
- (52) **U.S. Cl.**
USPC **D12/602**
- (58) **Field of Classification Search**
USPC D12/579, 594, 595, 596, 597, 602, 603, D12/900
CPC B60C 2011/0344; B60C 2011/0346
See application file for complete search history.

- D781,220 S 3/2017 Scheifele et al.
 - D791,681 S 7/2017 Zhang et al.
 - D795,795 S * 8/2017 Robbins D12/579
 - D799,411 S * 10/2017 Dixon D12/602
 - D810,003 S 2/2018 Thieman
 - D816,593 S 5/2018 Westaway
- (Continued)

FOREIGN PATENT DOCUMENTS

- CN 304553474 S 3/2018
- CN 304762573 S 8/2018

Primary Examiner — Robert M. Spear
(74) *Attorney, Agent, or Firm* — Fay Sharpe LLP

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread of the present application taken generally from the front and a first side of the tire;

FIG. 2 is a front view thereof (and the top, bottom, and rear views are the same based on the repeating nature of the tread design pattern throughout the circumference);

FIG. 3 is the first side view thereof (and the second side is the same as the first side);

FIG. 4 is an enlarged, partial perspective view thereof taken generally from the front and the first side of the tire;

FIG. 5 is an enlarged, partial front view thereof; and,

FIG. 6 is an enlarged, partial side view thereof.


The broken lines adjacent the tire shoulder in each figure depict the boundaries of the claim. The broken lines depict subject matter that forms no part of the claimed tire tread design, and are included for the purpose of illustrating the full tire. Likewise, the tire interior forms no part of the claim. The tread pattern is understood to repeat uniformly throughout the circumference of the tire.

1 Claim, 6 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D287,350 S 12/1986 Weston
- D299,332 S * 1/1989 Carretta D12/602
- D386,470 S 11/1997 Scheuren et al.
- D390,818 S 2/1998 De Barsy et al.
- D457,128 S * 5/2002 Robert D12/579
- D493,415 S * 7/2004 Noailly D12/579
- D595,641 S 7/2009 Carter et al.
- D636,722 S * 4/2011 Davidson D12/602
- D648,261 S 11/2011 Rayman
- D649,927 S 12/2011 Cerny
- D656,890 S 4/2012 Rittweger
- D661,639 S 6/2012 Carter et al.
- D737,199 S 8/2015 Gommez
- D762,556 S 8/2016 Dixon et al.
- D769,802 S 10/2016 Cerny
- D780,105 S 2/2017 Renis



(56)

References Cited

U.S. PATENT DOCUMENTS

D816,598 S	5/2018	Cerny	
D832,776 S *	11/2018	Louzri	D12/596
D860,928 S *	9/2019	Dixon	D12/602
D867,273 S *	11/2019	Dixon	D12/596

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6