



US00D875841S

(12) **United States Design Patent**
Nakajima et al.

(10) **Patent No.:** **US D875,841 S**

(45) **Date of Patent:** **** Feb. 18, 2020**

- (54) **ACCESSORY FOR SPINNING TOP TOY**
- (71) Applicant: **TOMY COMPANY, LTD.**, Tokyo (JP)
- (72) Inventors: **Hisashi Nakajima**, Tokyo (JP); **Kouji Narita**, Tokyo (JP)
- (73) Assignee: **TOMY COMPANY, LTD.**, Tokyo (JP)
- (**) Term: **15 Years**

D851,709 S *	6/2019	Muraki	D21/460
D854,095 S *	7/2019	Narita	D21/460
D854,097 S *	7/2019	Muraki	D21/460
D854,627 S *	7/2019	Saito	D21/460
D854,628 S *	7/2019	Saito	D21/460
D855,118 S *	7/2019	Saito	D21/460
D855,119 S *	7/2019	Saito	D21/460
D857,108 S *	8/2019	Horikoshi	D21/460
2010/0159798 A1 *	6/2010	Bertrand	A63H 1/02 446/259

(Continued)

(21) Appl. No.: **29/661,750**

(22) Filed: **Aug. 30, 2018**

(30) **Foreign Application Priority Data**

Apr. 19, 2018 (JP) 2018-008620

(51) **LOC (12) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/460**

(58) **Field of Classification Search**
USPC D21/455-464; 446/236-266
CPC A63H 1/00-32
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D629,848 S *	12/2010	Ujita	D21/460
D667,894 S *	9/2012	Horikoshi	D21/460
D820,919 S *	6/2018	Horikoshi	D21/460
D827,044 S *	8/2018	Horikoshi	D21/460
D834,102 S *	11/2018	Muraki	D21/460
D835,208 S *	12/2018	Horikoshi	D21/460
D841,099 S *	2/2019	Matsukawa	D21/460
D844,069 S *	3/2019	Horikawa	D21/460
D845,396 S *	4/2019	Horikoshi	D21/460
D846,034 S *	4/2019	Horikawa	D21/460
D849,846 S *	5/2019	Narita	D21/460
D849,849 S *	5/2019	Muraki	D21/460
D851,178 S *	6/2019	Narita	D21/460

FOREIGN PATENT DOCUMENTS

JP	6377211 B1 *	8/2018	A63H 1/02
JP	6405415 B1 *	10/2018	A63H 1/02

Primary Examiner — Catherine A Tuttle

(74) *Attorney, Agent, or Firm* — Oliff PLC


(57) **CLAIM**

The ornamental design for an accessory for spinning top toy, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the accessory for spinning top toy;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a left-side elevational view thereof;
 FIG. 4 is a right-side elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a front, top and right side perspective view thereof;
 FIG. 8 is a disassembled front, top and right side perspective view thereof; and,
 FIG. 9 is a disassembled rear, bottom and left side perspective view thereof.
 The broken lines depict parts of the accessory that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0017872 A1* 1/2015 Choi A63H 1/04
446/259

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8






FIG. 9