



US00D875879S

(12) **United States Design Patent** (10) **Patent No.:** **US D875,879 S**
Blevins (45) **Date of Patent:** **** Feb. 18, 2020**

(54) **FISHING LURE RETRIEVAL DEVICE**

2009/0090038 A1 * 4/2009 Meredith A01K 97/24
43/17.2

(71) Applicant: **Nathan D. Blevins**, Bel Aire, KS (US)

* cited by examiner

(72) Inventor: **Nathan D. Blevins**, Bel Aire, KS (US)

Primary Examiner — Catherine R Oliver-Garcia

(**) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — Law Office of Mark
Brown, LLC; Mark E. Brown

(21) Appl. No.: **29/665,717**

(57) **CLAIM**

(22) Filed: **Oct. 5, 2018**

The ornamental design for a fishing lure retrieval device, as
shown and described.

(51) **LOC (12) Cl.** **22-05**

(52) **U.S. Cl.**
USPC **D22/149**

(58) **Field of Classification Search**

USPC D22/149–150, 199; 43/17.2, 53.5;
294/19.1, 19.2, 66.1, 66.2
CPC A01K 97/00; A01K 97/24; A01K 95/00
See application file for complete search history.

DESCRIPTION

FIG. 1 is a front, perspective view of a preferred embodi-
ment of the present invention;

FIG. 2 is an enlarged, fragmentary, front, perspective view
thereof, particularly showing an eyelet screw mounted in the
front end thereof;

FIG. 3 is a rear perspective view thereof;

FIG. 4 is a right side elevational view thereof, the left side
being a mirror or image thereof;

FIG. 5 is a top plan view thereof, the bottom plan view being
a mirror image thereof;

FIG. 6 is a front elevational view thereof;

FIG. 7 is a rear elevational view thereof;

FIG. 8 is a front, perspective view of a fishing lure retrieval
device comprising a modified or alternative embodiment of
the present invention;

FIG. 9 is an enlarged, fragmentary, front, perspective view
thereof, particularly showing a clip mounted in the front end
thereof;

FIG. 10 is a rear perspective view thereof;

FIG. 11 is a right side elevational view thereof, the left side
being a mirror or image thereof;

FIG. 12 is a top plan view thereof, the bottom plan view
being a mirror image thereof;

FIG. 13 is a front elevational view thereof; and,


FIG. 14 is a rear elevational view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,344,838 A * 3/1944 Van Sickle A01K 97/24
43/17.2
D156,013 S * 11/1949 Knaur D22/149
D229,406 S * 11/1973 Freeman D22/149
D280,542 S * 9/1985 Hurst D22/149
4,622,772 A * 11/1986 Cawley A01K 97/24
43/17.2
D377,962 S * 2/1997 Blain D22/134
5,724,762 A * 3/1998 Thompson A01K 97/24
43/17.2
5,864,979 A * 2/1999 Iannuccilli A01K 97/24
43/17.2
6,694,664 B1 * 2/2004 Knight A01K 97/24
43/17.2
D515,659 S * 2/2006 Szymanski D22/149
D596,264 S * 7/2009 Miller D22/149
8,539,711 B2 * 9/2013 Leuckel A01K 97/24
43/17.2
D721,783 S * 1/2015 Goldy D22/149

1 Claim, 8 Drawing Sheets






FIG. 1

FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14