



US00D875940S

(12) **United States Design Patent** (10) **Patent No.:** **US D875,940 S**
DaCosta et al. (45) **Date of Patent:** **** Feb. 18, 2020**

(54) **HOOK PLATE**
(71) Applicant: **PARAGON 28, INC.**, Englewood, CO (US)
(72) Inventors: **Albert DaCosta**, Lone Tree, CO (US);
Thomas G. Harris, Altadena, CA (US);
Patrick Yoon, Minneapolis, MN (US);
Spanky Raymond, Uniontown, OH (US); **Frank Barmes**, Littleton, CO (US)
(73) Assignee: **Paragon 28, Inc.**, Englewood, CO (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/685,684**
(22) Filed: **Mar. 29, 2019**

Related U.S. Application Data

(63) Continuation of application No. 29/624,637, filed on Nov. 2, 2017, now Pat. No. Des. 847,343.
(51) **LOC (12) Cl.** **24-03**
(52) **U.S. Cl.**
USPC **D24/155**
(58) **Field of Classification Search**
USPC D24/155–157
CPC A61B 17/8061; A61B 17/7059; A61B 17/8052; A61B 17/8605; A61B 17/8085; A61B 17/809; A61B 17/8014; A61B 17/8033; A61B 17/8004; A61B 17/888; A61B 17/842; A61B 17/8023; A61B 17/8009; A61B 17/86; A61B 17/1739; A61B 17/8066; A61B 17/1671; A61B 17/1757; A61B 17/8071; A61B 17/176; A61B 2017/1782; A61B 2017/1775
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,824,995 A * 7/1974 Getscher A61B 17/74 606/281
6,338,734 B1 * 1/2002 Burke A61B 17/74 606/280

7,229,444 B2 * 6/2007 Boyd A61B 17/809 606/300
D587,370 S * 2/2009 Coillard-Lavirotte D24/155
D596,294 S * 7/2009 Coillard-Lavirotte D24/155
8,556,946 B2 * 10/2013 Prandi A61B 17/809 606/286

(Continued)

Primary Examiner — Charles D Hanson
(74) *Attorney, Agent, or Firm* — Heslin Rothenberg Farley & Mesiti P.C.


(57) **CLAIM**

The ornamental design for a hook plate, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a hook plate comprising a new design;
FIG. 2 is a bottom, back perspective view of the design of FIG. 1;
FIG. 3 is a top view of the design of FIG. 1;
FIG. 4 is a bottom view of the design of FIG. 1;
FIG. 5 is a left side elevational view of the design of FIG. 1;
FIG. 6 is a right side elevational view of the design of FIG. 1;
FIG. 7 is a front elevational view of the design of FIG. 1; and,
FIG. 8 is a back elevational view of the design of FIG. 1.
The broken lines shown in the figures are directed to the environment and are for illustrative purposes only; the broken lines form no part of the claimed hook plate invention.
The relatively light intermittently broken surface shading depicts contour, not surface decoration.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D847,343 S * 4/2019 DaCosta D24/155
2005/0171544 A1 * 8/2005 Falkner, Jr. A61B 17/1728
606/281
2008/0114360 A1 * 5/2008 Da Frota Carrera .. A61B 17/80
606/280
2012/0271359 A1 * 10/2012 Stevenson A61B 17/7071
606/281
2013/0041375 A1 * 2/2013 Fierlbeck A61B 17/8061
606/71
2013/0053899 A1 * 2/2013 Bluechel A61B 17/8061
606/281
2018/0064547 A1 * 3/2018 Greiwe A61F 2/4014
2018/0256226 A1 9/2018 Govey et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7