



US00D876003S

(12) **United States Design Patent** (10) **Patent No.:** **US D876,003 S**  
**Carskadon et al.** (45) **Date of Patent:** **\*\* Feb. 18, 2020**

(54) **REAR COMPONENT OF A HORTICULTURE LIGHTING CONTROLLER CHASSIS**

D732,235 S \* 6/2015 Reynolds ..... D26/118  
D736,198 S \* 8/2015 Merbeth ..... D14/300  
D739,593 S \* 9/2015 Mayfield, III ..... D26/118  
D739,595 S \* 9/2015 Reynolds ..... D26/118

(71) Applicant: **HGCI, INC.**, Las Vegas, NV (US)

(Continued)

(72) Inventors: **Martin Carskadon**, Vancouver, WA (US); **Martin R. Mason**, Vancouver, WA (US)

**FOREIGN PATENT DOCUMENTS**

(73) Assignee: **HGCI, Inc.**, Las Vegas, NV (US)

CN 303296740 \* 7/2015  
CN 303317825 \* 8/2015

(\*\*) Term: **15 Years**

*Primary Examiner* — Michelle E. Wilson

*Assistant Examiner* — Sanjeev Paul

(21) Appl. No.: **29/689,952**

(74) *Attorney, Agent, or Firm* — Ulmer & Berne LLP

(22) Filed: **May 3, 2019**

(57) **CLAIM**

The ornamental design for a rear component of a horticulture lighting controller chassis, as shown and described.

**Related U.S. Application Data**

**DESCRIPTION**

(62) Division of application No. 29/525,627, filed on Apr. 30, 2015, now Pat. No. Des. 848,056.

(51) **LOC (12) Cl.** ..... **26-05**

(52) **U.S. Cl.**  
USPC ..... **D26/142**

(58) **Field of Classification Search**  
CPC ..... F41C 27/00; F41C 33/0254; G02B 5/045;  
G02B 5/189; F21S 8/00; F21S 8/03;  
F21S 8/026; F21S 8/02; F21S 8/003;  
F21S 8/043; F21S 8/06; F21S 8/04; F21V  
7/005; F21V 15/01; F21V 15/04; F21V  
25/00; G02F 2001/133607; F21Y 2103/00  
See application file for complete search history.

FIG. 1 is a perspective view of a rear component of a horticulture lighting controller chassis, as viewed from the front, showing my our design illustrated with contextual electrical components shown in broken line;  
FIG. 2 is a right side view of the rear component shown in FIG. 1;  
FIG. 3 is a left side view of the rear component shown in FIG. 1;  
FIG. 4 is a top elevation view of the rear component shown in FIG. 1;  
FIG. 5 is a bottom elevation view of the rear component shown in FIG. 1;  
FIG. 6 is a front plan view of the rear component shown in FIG. 1; and,  
FIG. 7 is a rear plan view of the rear component shown in FIG. 1.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D350,532 S \* 9/1994 Phelps ..... D13/184  
D544,139 S \* 6/2007 Hargreaves ..... D26/118  
D657,748 S \* 4/2012 Hargreaves ..... D13/156  
D660,252 S \* 5/2012 Hargreaves ..... D13/156  
D722,976 S \* 2/2015 Okado ..... D13/152

The broken-line disclosure shown in the views is understood to represent portions of the article in which the claimed design is embodied, but which form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D745,993 S \* 12/2015 Reynolds ..... D26/118  
D756,026 S \* 5/2016 Reynolds ..... D26/118  
D757,346 S \* 5/2016 Stanley ..... D26/118  
9,335,031 B2 \* 5/2016 Mayfield, III ..... F21V 17/00  
9,335,041 B2 \* 5/2016 Marquardt ..... F21V 33/006  
9,416,954 B2 \* 8/2016 Miller ..... F21V 7/00  
D770,671 S \* 11/2016 Reynolds ..... D26/118  
D773,107 S \* 11/2016 Stanley ..... D26/118  
D775,760 S \* 1/2017 Reynolds ..... D26/118  
D842,533 S \* 3/2019 DiFelice ..... D26/118  
10,247,389 B2 \* 4/2019 Seward ..... F21S 8/026  
D848,056 S \* 5/2019 Carskadon ..... D26/142  
10,288,924 B2 \* 5/2019 Park ..... G02B 6/0055  
10,317,063 B2 \* 6/2019 Ott ..... F21V 25/12  
10,317,066 B2 \* 6/2019 Mathews ..... F21V 29/70  
2012/0212883 A1 \* 8/2012 Hargreaves ..... H05K 5/0017  
361/679.01

\* cited by examiner






FIG. 1







**FIG. 2**



**FIG. 3**



**FIG. 4**



**FIG. 5**

FIG. 6




FIG. 7

