

(12) United States Design Patent (10) Patent No.: US D876,074 S ** Feb. 25, 2020 Seamarks (45) **Date of Patent:**

SHOE (54)

- Applicant: NIKE, Inc., Beaverton, OR (US) (71)
- Inventor: Karl Seamarks, Portland, OR (US) (72)
- Assignee: NIKE, Inc., Beaverton, OR (US) (73)
- **15 Years** (**)Term:
- (21) Appl. No.: 29/637,608

D333,379 S	*	2/1993	Tonkel	D2/969
D494,752 S	*	8/2004	Adams	D2/969
D517,297 S	*	3/2006	Jones	D2/969
D765,386 S	*	9/2016	Petrie	D2/973
D765,963 S	*	9/2016	Lopatic	D2/969
D806,374 S	*	1/2018	Weddle	D2/969
D814,773 S	*	4/2018	Durflinger	D2/972
D828,686 S	*	9/2018	Hoellmueller	D2/972

* cited by examiner

(57)

Primary Examiner — Dominic V Simone

- Filed: Feb. 20, 2018 (22)
- (51)U.S. Cl. (52)
- USPC **D2/972**
- Field of Classification Search (58)

USPC D2/896, 897, 902, 904, 906–908, 946, D2/969, 972–974; D5/47, 49, 50, 53, 54,

D5/56, 60

CPC ... A43B 13/181; A43B 13/141; A43B 13/186; A43B 13/188; A43B 23/00; A43B 23/02; A43B 5/00; A43B 23/26; A43B 1/04; A43B 11/14; A43B 7/00; A43B 3/12; A43C 3/00; A43C 5/00; A43C 7/00; A43C 11/004

See application file for complete search history.

References Cited (56)

U.S. PATENT DOCUMENTS

D207501 S * 0/1088 Brown

(74) Attorney, Agent, or Firm — Shook, Hardy & Bacon L.L.P.

CLAIM

The ornamental design for a shoe, as shown and described.

DESCRIPTION

FIG. 1 is a side view of a shoe showing my design; FIG. 2 is a front perspective view thereof; FIG. 3 is a rear perspective view thereof; and, FIG. 4 is a rear view thereof.

The even-length broken lines are directed to environment, represent unclaimed subject matter, and form no part of the claimed design. The long and short broken lines immediately adjacent to the shaded areas form an unclaimed boundary around at least a portion of the claimed subject matter, and form no part of the claim.

D297,591 S	*	9/1988	Brown	D2/973
D310,292 S	*	9/1990	Selbiger	D2/969

1 Claim, 4 Drawing Sheets



U.S. Patent Feb. 25, 2020 Sheet 1 of 4 US D876,074 S





U.S. Patent Feb. 25, 2020 Sheet 2 of 4 US D876,074 S





U.S. Patent US D876,074 S Feb. 25, 2020 Sheet 3 of 4





U.S. Patent Feb. 25, 2020 Sheet 4 of 4 US D876,074 S



