

US00D876190S

(12) **United States Design Patent** (10) **Patent No.:** **US D876,190 S**
Alho (45) **Date of Patent:** **** Feb. 25, 2020**

(54) **HOLE PUNCH**

(71) Applicant: **A & E Incorporated**, Racine, WI (US)

(72) Inventor: **Timothy J. Alho**, Pleasant Prairie, WI (US)

(73) Assignee: **A & E Incorporated**, Racine, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/628,795**

(22) Filed: **Dec. 7, 2017**

(51) **LOC (12) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/47; D8/14**

(58) **Field of Classification Search**
USPC D8/14, 47, 98; D7/683
CPC .. B25B 27/04; B23K 35/0255; B23K 35/0261
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,559,864 A * 2/1971 Hillert B23K 35/0272
148/26
D286,500 S * 11/1986 Jaques D8/14
5,099,562 A * 3/1992 Loughban B25B 27/02
16/380
5,327,631 A * 7/1994 Lincavage B25B 27/04
279/46.2
5,484,418 A * 1/1996 Quiachon A61B 17/3462
604/167.03
D371,302 S * 7/1996 Spierer D8/47
D450,985 S * 11/2001 Kiehl D8/14
6,468,228 B1 * 10/2002 Topel A61B 17/32053
600/564
6,471,186 B1 10/2002 Lawless
D479,444 S * 9/2003 Conigliaro D7/683
6,772,994 B1 8/2004 Lawless
D513,573 S * 1/2006 Settele D7/683
7,293,331 B2 11/2007 Lawless

7,523,525 B2 4/2009 Lawless
7,574,776 B2 8/2009 Lawless
8,032,991 B2 10/2011 Lawless
D656,801 S * 4/2012 Pickett D7/683
D679,560 S * 4/2013 Fehsenfeld D8/14
D687,682 S * 8/2013 Tsioukis D7/683
D808,233 S * 1/2018 Wangler D7/683
D834,975 S * 12/2018 Davis D10/86
2004/0155229 A1 8/2004 Lawless
2004/0221425 A1 11/2004 Lawless
2004/0255428 A1 12/2004 Lawless

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO2017/142605 A1 8/2017

OTHER PUBLICATIONS

Wepage, <https://store.snapon.com/Soft-Gap-Punches-and-Chisels-6-1-2-Soft-Grip-Pin-Punch-P645946.aspx>, dated Nov. 28, 2017, 1 page.

(Continued)

Primary Examiner — Philip S Hyder

(74) *Attorney, Agent, or Firm* — Ryan Kromholz & Manion, S.C.

(57) **CLAIM**

The ornamental design for a hole punch, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a hole punch of the present invention;


FIG. 2 is a side view of the hole punch;

FIG. 3 is a front end view of the hole punch; and,

FIG. 4 is a rear end view of the hole punch.

The two pairs of irregular break lines form no part of the claimed design.

1 Claim, 1 Drawing Sheet



References Cited

2006/0026800	A1	2/2006	Lawless	
2006/0075606	A1	4/2006	Lawless	
2008/0190006	A1 *	8/2008	Jenkins	B25B 27/04 42/90
2017/0050306	A1	2/2017	Lawless	
2017/0050307	A1	2/2017	Jannitto, Jr. et al.	

Webpage, <https://store.snapon.com/Starter-Punches-3-16-Starter-Punch-P890529.aspx>, dated Nov. 28, 2017, 1 page.

Webpage, <https://www.wildetool.com/product-category/pry-bars/handle-pry-bars/>, dated Dec. 7, 2017, 2 pages.

Webpage, <https://www.wildetool.com/product-category/punches/>, dated Dec. 7, 2017, 3 pages.

Webpage, <http://mayhew.com/product-category/pry-bars/>, dated Dec. 7, 2017, 2 pages.

Webpage, <http://mayhew.com/product-category/hard-cap-punches/>, dated Dec. 7, 2017, 2 pages.

Webpage, <http://mayhew.com/product-category/hard-cap-chisels/>, dated Dec. 7, 2017, 2 pages.

Webpage, <http://mayhew.com/product-category/hard-cap-sets/>, dated Dec. 7, 2017, 2 pages.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : D876,190 S
APPLICATION NO. : 29/628795
DATED : February 25, 2020
INVENTOR(S) : Timothy J. Alho

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Item (56) Other Publications Column 2, Line 1, "...<https://store.snapon.com/Soft-Gap-Punches...>"
should be -- <https://store.snapon.com/Soft-Grip-Punches...> --

Signed and Sealed this
Nineteenth Day of April, 2022

Katherine Kelly Vidal
Director of the United States Patent and Trademark Office