

US00D876232S

(12) **United States Design Patent**
Sibley

(10) **Patent No.:** **US D876,232 S**

(45) **Date of Patent:** **** Feb. 25, 2020**

- (54) **ONE-PIECE CHILD RESISTANT LID**
- (71) Applicant: **READY RESERVE AMMO, INC.**,
Kimberly, ID (US)
- (72) Inventor: **David P. Sibley**, Kimberly, ID (US)
- (73) Assignee: **N2 PACKAGING SYSTEMS, LLC**,
Twin Falls, ID (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/659,000**
- (22) Filed: **Aug. 4, 2018**
- (51) **LOC (12) Cl.** **09-07**
- (52) **U.S. Cl.**
USPC **D9/443**
- (58) **Field of Classification Search**
USPC D9/414, 434-436, 438-440, 443-457,
D9/499, 503-505, 682, 685, 686;
D7/387, 391, 392, 392.1, 396.2-396.4,
D7/401.1, 507, 509-511, 538, 900;
D3/202, 203.2, 318; D28/91.1
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D
1/02; B65D 1/10; B65D 1/46; B65D
5/46; B65D 41/00; B65D 41/38; B65D
41/56; B65D 41/62; B65D 47/00; B65D
47/06; B65D 47/08; B65D 2251/00;
B65D 2543/00046; B65D 2543/00092;
B65D 2543/00296; B65D 2585/56; B65D
2585/545
See application file for complete search history.

- 4,429,800 A * 2/1984 Greenspan B65D 50/045
215/216
- 4,807,768 A * 2/1989 Gach B65D 50/045
215/211
- 4,809,874 A * 3/1989 Pehr B65D 43/164
215/235
- D309,109 S * 7/1990 Allen D9/435
- 5,137,260 A * 8/1992 Pehr B65D 43/164
215/216
- 5,310,081 A * 5/1994 McCabe B65D 47/286
D7/511
- D362,389 S * 9/1995 Frye D9/452
- D421,909 S * 3/2000 Opresco D9/443
- 6,237,818 B1 * 5/2001 Kline B65D 25/44
222/529
- D448,995 S * 10/2001 McDonald D9/443
- 6,923,333 B2 * 8/2005 Arciniegas B65D 47/063
215/251
- D540,169 S * 4/2007 Tanner D9/420
- D610,006 S * 2/2010 Ortell D9/454
- D641,628 S * 7/2011 Baughman D9/452
- D653,281 S * 1/2012 Shih D9/454

(Continued)

Primary Examiner — Michael A. Pratt
Assistant Examiner — Wendy L Arminio
(74) *Attorney, Agent, or Firm* — Richard D. Clarke

(57) **CLAIM**

I claim the ornamental design for a one-piece child resistant lid, as shown and described.

DESCRIPTION


FIG. 1 is a front, top and side perspective view of the one-piece child resistant lid;
FIG. 2 is a top plan view of the one-piece child resistant lid;
FIG. 3 is a front view of the one-piece child resistant lid;
FIG. 4 is a bottom view of the one-piece child resistant lid;
and,
FIG. 5 is a side view of the one-piece child resistant lid.
The broken lines in FIG. 1 of the drawings show environment only and form no part of the claimed design.

1 Claim, 1 Drawing Sheet

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D53,092 S * 3/1919 Swanson D9/452
- 3,811,589 A * 5/1974 Thornton B65D 50/04
215/225



(56)

References Cited

U.S. PATENT DOCUMENTS

D655,605 S * 3/2012 Baughman D9/447
D664,035 S * 7/2012 Hu D9/435
D751,902 S * 3/2016 Sturk D9/447
9,950,844 B2 * 4/2018 Barber B65D 50/045
D859,143 S * 9/2019 Perdue D9/423
2015/0253055 A1 * 9/2015 Tsui B65D 21/086
62/62
2018/0319556 A1 * 11/2018 Straughan B65D 83/06
2019/0276202 A1 * 9/2019 Wilson B65D 50/043

* cited by examiner




FIG. 1




FIG. 2




FIG. 4



FIG. 3



FIG. 5