

US00D876240S

(12) **United States Design Patent**
Eijkenaar

(10) **Patent No.:** **US D876,240 S**
(45) **Date of Patent:** **** Feb. 25, 2020**

- (54) **CONE FOR PACKAGING**
- (71) Applicant: **Gerrit Jan Berend Eijkenaar**, Almelo (NL)
- (72) Inventor: **Gerrit Jan Berend Eijkenaar**, Almelo (NL)
- (**) Term: **15 Years**
- (21) Appl. No.: **35/506,581**
- (22) Filed: **Aug. 29, 2018**

4,600,591	A *	7/1986	Galli	A21C 15/025	426/138
D310,317	S *	9/1990	Broderick	D7/669	
D321,580	S *	11/1991	Jones	426/101	
D402,166	S *	12/1998	Wallays	D7/669	
D407,305	S *	3/1999	Weder	D1/116	
D529,377	S *	10/2006	Heiss	D9/431	
D530,448	S *	10/2006	Snyder	D28/8.2	
D539,006	S *	3/2007	Ruggiero	D1/118	
D547,675	S *	7/2007	Davi	D9/712	
D569,076	S *	5/2008	Lebrand	D1/105	
D596,022	S *	7/2009	van den Berg	D9/416	
D645,641	S *	9/2011	Mingyun	D1/116	
8,393,463	B1 *	3/2013	Graham	A45C 11/04	206/37

(Continued)

- (80) **Hague Agreement Data**
- Int. Filing Date: **Aug. 29, 2018**
- Int. Reg. No.: **DM/200039**
- Int. Reg. Date: **Aug. 29, 2018**
- Int. Reg. Pub. Date: **Feb. 1, 2019**

Primary Examiner — Rhea Shields

(57) **CLAIM**

The ornamental design for a cone for packaging, as shown and described.

- (51) **LOC (12) Cl.** **09-05**
- (52) **U.S. Cl.**
USPC **D9/712**
- (58) **Field of Classification Search**
USPC D9/712, 709, 703, 416, 431; D7/669;
D1/122, 105, 116, 118; D28/8.2;
D11/148; D34/1; D24/121
CPC A45C 11/04; A21C 15/025; A23G 9/506;
A23G 9/50; A23G 3/28; B65D 85/78
See application file for complete search history.

DESCRIPTION


- 1. Cone for packaging
- 1.1 is a perspective view;
- 1.2 is a side view;
- 1.3 is an unassembled top view;
- 1.4 is a bottom view;
- 1.5 is a top view;
- 1.6 is a rear view;
- 1.7 is a perspective rear view;
- 1.8 is a partially assembled top view;
- 1.9 is a perspective view;
- 1.10 is a perspective view;
- 1.11 is a perspective view; and
- 1.12 is a front view.

The claimed design concerns the cone for packaging; it is made from a rectangular biodegradable plastic sheet and a cord; there are several holes on the plastic sheet through which a cord can be inserted; when the cord is braided through the holes and its two ends are tied each other, the cone gets the final shape of the claimed design.

- (56) **References Cited**
U.S. PATENT DOCUMENTS

1,939,450	A *	12/1933	Horton	A23G 9/50	426/91
2,092,444	A *	9/1937	Dennery	A23G 3/28	425/190
2,200,956	A *	5/1940	Kennedy	A23G 9/506	426/139
D213,166	S *	1/1969	Stanley	D1/118	
4,444,795	A *	4/1984	Weinstein	B65D 85/78	206/822

1 Claim, 12 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS


D690,076 S *	9/2013	LeStage	D1/105
D731,052 S *	6/2015	Doerr	D24/121
D745,328 S *	12/2015	Magri	D1/105
D747,237 S *	1/2016	Nalgabatz	D11/148
D822,316 S *	7/2018	Cammarota	D1/122
D839,102 S *	1/2019	Boyd	D9/709
D847,448 S *	4/2019	Twining	D34/1
D864,750 S *	10/2019	Jordan	D9/703

* cited by examiner


1.1




1.2




1.3




1.4




1.5




1.6




1.7




1.8




1.9



1.10



1.11



1.12

