



US00D876254S

(12) **United States Design Patent** (10) **Patent No.:** **US D876,254 S**
Joyal et al. (45) **Date of Patent:** **** Feb. 25, 2020**

(54) **ENVIRONMENTAL MONITORING DEVICE**

(56) **References Cited**

(71) Applicant: **PILLAR TECHNOLOGIES, INC.**,
New York, NY (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Matthew Jean-Marie Joseph Joyal**,
New York, NY (US); **Jesse S. Kruska**,
Westport, CT (US); **Alexander
Messersmith Schwarzkopf**, New York,
NY (US); **James Sener**, Glastonbury,
CT (US); **Scott Smith**, Hartford, CT
(US); **Sean Peter Iacobone**, New York,
NY (US)

D397,439 S * 8/1998 Koros D24/155
6,959,331 B1 * 10/2005 Traversat G06F 9/4416
709/222
D541,684 S * 5/2007 Sandy D10/70
D638,317 S * 5/2011 Nguyen G01D 9/005
D10/65

(Continued)

FOREIGN PATENT DOCUMENTS

EP 2911130 A1 8/2015
WO 2012119253 A1 9/2012
WO 2015115663 A1 8/2015

(73) Assignee: **Pillar Technologies, Inc.**, New York,
NY (US)

OTHER PUBLICATIONS

International Search Report and Written Opinion for International
Application No. PCT/US2016/061646 dated Mar. 7, 2017.

(**) Term: **15 Years**

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Lando & Anastasi, LLP

(21) Appl. No.: **29/662,710**

(22) Filed: **Sep. 7, 2018**

(57) **CLAIM**

The ornamental design for an environmental monitoring
device, as shown and described.

Related U.S. Application Data

(63) Continuation of application No. 29/612,914, filed on
Aug. 4, 2017, now Pat. No. Des. 830,206, which is a
continuation of application No. 15/349,811, filed on
Nov. 11, 2016, now Pat. No. 9,986,313.

(51) **LOC (12) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/70**

(58) **Field of Classification Search**
USPC D10/65, 70, 75
CPC H04Q 9/00; H04Q 2209/40
See application file for complete search history.

DESCRIPTION

FIG. 1 is a front plan view of a first embodiment of an
environmental monitoring device design;
FIG. 2 is a left side view of the embodiment shown in FIG.
1;
FIG. 3 is a rear plan view of the embodiment shown in FIG.
1;
FIG. 4 is a right side view of the embodiment shown in FIG.
1;
FIG. 5 is a top plan view of the embodiment shown in FIG.
1;

(Continued)




FIG. 6 is a bottom plan view of the embodiment shown in FIG. 1; and, FIG. 7 is a top, right perspective view of the embodiment shown in FIG. 1. The broken lines shown represent unclaimed subject matter and form no part of the claimed design.

1 Claim, 7 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D689,385 S *	9/2013	Haws	H04W 40/244	2008/0017790 A1*	1/2008	Boyle	G01N 27/624
			D10/106.8				250/287
8,880,204 B2 *	11/2014	Frei	H04L 29/1249	2008/0053847 A1	3/2008	Rakosky et al.	
			700/90	2010/0100338 A1	4/2010	Vik et al.	
8,921,743 B2	12/2014	Ewell, Jr. et al.		2011/0044507 A1	2/2011	Strauss et al.	
9,163,962 B2 *	10/2015	Ainsworth	G01D 9/005	2011/0055154 A1*	3/2011	Gantaume	G06Q 10/10
9,220,050 B2 *	12/2015	Kelsey	H04W 40/244				707/623
9,297,748 B2 *	3/2016	Risk	G01N 21/3504	2011/0254680 A1*	10/2011	Perkinson	G08B 25/14
9,445,216 B2 *	9/2016	Kim	H04Q 9/00				340/506
9,678,559 B1	6/2017	Devries et al.		2012/0143387 A1	6/2012	Indovina et al.	
2005/0110639 A1	5/2005	Puzio et al.		2012/0229296 A1*	9/2012	Ree	G01D 4/002
2006/0025894 A1	2/2006	O'Connor et al.					340/870.02
2007/0282665 A1*	12/2007	Buehler	G06Q 30/02	2013/0231890 A1	9/2013	Schifferdecker et al.	
			705/7.29	2014/0200863 A1	7/2014	Kamat et al.	
				2014/0278144 A1*	9/2014	Risk	G01N 21/3504
							702/24
				2015/0280489 A1	10/2015	Curlett	
				2015/0318015 A1*	11/2015	Bose	H04N 7/188
							386/248
				2016/0018226 A1*	1/2016	Plocher	A62B 3/00
							701/428
				2016/0149777 A1*	5/2016	Kim	H04L 43/0867
							709/224
				2016/0173367 A1*	6/2016	Sareen	H04L 45/22
							370/225
				2016/0325675 A1	11/2016	Bharwani	
				2016/0359325 A1*	12/2016	Kawata	G16H 40/67

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7