

US00D876426S

(12) **United States Design Patent** (10) **Patent No.:** **US D876,426 S**
Gohto et al. (45) **Date of Patent:** **** Feb. 25, 2020**

(54) **RACK MOUNTED ELECTRONIC DEVICE**

(71) Applicant: **AUDIO-TECHNICA CORPORATION**, Tokyo (JP)

(72) Inventors: **Toshiyuki Gohto**, Tokyo (JP);
Hiroyasu Suzuki, Kanagawa (JP)

(73) Assignee: **Audio-Technica Corporation**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/628,934**

(22) Filed: **Dec. 8, 2017**

(30) **Foreign Application Priority Data**

Jun. 9, 2017 (JP) 2017-012421

Jun. 9, 2017 (JP) 2017-012422

(Continued)

(51) **LOC (12) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/257**

(58) **Field of Classification Search**
USPC D14/300–304, 308–314, 328, 348–370,
D14/388, 432, 435, 439–441, 443–446,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D269,434 S * 6/1983 Nagele D14/139

D375,742 S * 11/1996 Weissberg D14/188

(Continued)

OTHER PUBLICATIONS

Pohlmann, Ken C. Road Test of Four “Mechless” Car Stereos Made for iPod, posted at Edmunds, posting date May 26, 2010. Site visited Jun. 25, 2019. URL: <<https://www.edmunds.com/car-technology/car-audio/road-test-of-four-mechless-car-stereos-made-for-ipod.html>> (Year: 2010).*

Primary Examiner — Kevin R Rudzinski

Assistant Examiner — Kathleen L Jones

(74) *Attorney, Agent, or Firm* — W&C IP

(57) **CLAIM**

We claim the ornamental design for a rack mounted electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a rack mounted electronic device according to a first embodiment;

FIG. 2 is a front elevational view of the rack mounted electronic device according to the first embodiment;

FIG. 3 is a rear elevational view of the rack mounted electronic device according to the first embodiment;

FIG. 4 is a top plan view of the rack mounted electronic device according to the first embodiment;

FIG. 5 is a bottom plan view of the rack mounted electronic device according to the first embodiment;

FIG. 6 is a left side elevational view of the rack mounted electronic device according to the first embodiment;

FIG. 7 is a right side elevational view of the rack mounted electronic device according to the first embodiment;

FIG. 8 is an enlarged partial view of the rack mounted electronic device according to the first embodiment, the view being taken from FIG. 1;

FIG. 9 is an enlarged partial view of the rack mounted electronic device according to the first embodiment, the view being taken from FIG. 2;

FIG. 10 is an enlarged partial view of the rack mounted electronic device according to the first embodiment, the view being taken from FIG. 4;

FIG. 11 is an enlarged partial view of the rack mounted electronic device according to the first embodiment, the view being taken from FIG. 5;

FIG. 12 is a perspective view of a rack mounted electronic device according to a second embodiment;

FIG. 13 is a front elevational view of the rack mounted electronic device according to the second embodiment;

FIG. 14 is a rear elevational view of the rack mounted electronic device according to the second embodiment;

(Continued)




FIG. 15 is a top plan view of the rack mounted electronic device according to the second embodiment;
 FIG. 16 is a bottom plan view of the rack mounted electronic device according to the second embodiment;
 FIG. 17 is a left side elevational view of the rack mounted electronic device according to the second embodiment;
 FIG. 18 is a right side elevational view of the rack mounted electronic device according to the second embodiment;
 FIG. 19 is an enlarged partial view of the rack mounted electronic device according to the second embodiment, the view being taken from FIG. 12;
 FIG. 20 is an enlarged partial view of the rack mounted electronic device according to the second embodiment, the view being taken from FIG. 13;
 FIG. 21 is an enlarged partial view of the rack mounted electronic device according to the second embodiment, the view being taken from FIG. 15;
 FIG. 22 is an enlarged partial view of the rack mounted electronic device according to the second embodiment, the view being taken from FIG. 16;
 FIG. 23 is a perspective view of a rack mounted electronic device according to a third embodiment;
 FIG. 24 is a front elevational view of the rack mounted electronic device according to the third embodiment;
 FIG. 25 is a rear elevational view of the rack mounted electronic device according to the third embodiment;
 FIG. 26 is a top plan view of the rack mounted electronic device according to the third embodiment;
 FIG. 27 is a bottom plan view of the rack mounted electronic device according to the third embodiment;
 FIG. 28 is a left side elevational view of the rack mounted electronic device according to the third embodiment;
 FIG. 29 is a right side elevational view of the rack mounted electronic device according to the third embodiment;
 FIG. 30 is an enlarged partial view of the rack mounted electronic device according to the third embodiment, the view being taken from FIG. 23;
 FIG. 31 is an enlarged partial view of the rack mounted electronic device according to the third embodiment, the view being taken from FIG. 24;
 FIG. 32 is an enlarged partial view of the rack mounted electronic device according to the third embodiment, the view being taken from FIG. 26;
 FIG. 33 is an enlarged partial view of the rack mounted electronic device according to the third embodiment, the view being taken from FIG. 27;
 FIG. 34 is a perspective view of a rack mounted electronic device according to a fourth embodiment;
 FIG. 35 is a front elevational view of the rack mounted electronic device according to the fourth embodiment;
 FIG. 36 is a rear elevational view of the rack mounted electronic device according to the fourth embodiment;
 FIG. 37 is a top plan view of the rack mounted electronic device according to the fourth embodiment;
 FIG. 38 is a bottom plan view of the rack mounted electronic device according to the fourth embodiment;
 FIG. 39 is a left side elevational view of the rack mounted electronic device according to the fourth embodiment;
 FIG. 40 is a right side elevational view of the rack mounted electronic device according to the fourth embodiment;
 FIG. 41 is an enlarged partial view of the rack mounted electronic device according to the fourth embodiment, the view being taken from FIG. 34;

FIG. 42 is an enlarged partial view of the rack mounted electronic device according to the fourth embodiment, the view being taken from FIG. 35;

FIG. 43 is an enlarged partial view of the rack mounted electronic device according to the fourth embodiment, the view being taken from FIG. 37; and,

FIG. 44 is an enlarged partial view of the rack mounted electronic device according to the fourth embodiment, the view being taken from FIG. 38.

The broken lines showing portions of the rack mounted electronic device are included to illustrate portions of the article and form no part of the claimed design.

1 Claim, 44 Drawing Sheets

(30) Foreign Application Priority Data

Jun. 9, 2017 (JP) 2017-012424
 Jun. 9, 2017 (JP) 2017-012425

(58) Field of Classification Search

USPC D14/450, 479–480, 481–483, 500–502,
 D14/140.1, 140.4, 164, 193, 257–258,
 D14/265; D13/123, 152, 154, 158, 184,
 D13/199

CPC . G06F 1/20; G06F 1/181; G06F 1/187; G06F
 1/183; G06F 1/184; G06F 1/16; H05K
 5/00; H05K 7/00; G11B 33/126; G11B
 33/128; G11B 33/08; G11B 33/02

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D407,393	S	*	3/1999	Kazama		D14/125
D427,887	S	*	7/2000	Leopold		D13/154
D457,147	S	*	5/2002	Bradley		D13/184
D476,651	S	*	7/2003	Clark		D14/257
D485,844	S	*	1/2004	Chen		D14/442
D488,466	S	*	4/2004	Newton		D14/257
D564,525	S	*	3/2008	Chen		D14/442
D567,203	S	*	4/2008	Park		D14/502
D574,376	S	*	8/2008	Park		D14/257
D581,919	S	*	12/2008	Kim		D14/257
D597,548	S	*	8/2009	Yang		D14/441
D607,850	S	*	1/2010	Kurisaki		D13/158
D627,772	S	*	11/2010	Wang		D14/313
D643,434	S	*	8/2011	Grady, IV		D14/442
D654,090	S	*	2/2012	Kim		D14/501
D705,265	S	*	5/2014	Diaz		D14/500
D740,293	S	*	10/2015	Kuehn		D14/444
D751,607	S	*	3/2016	Onoue		D14/502
D751,987	S	*	3/2016	Ravi		D13/123
D754,658	S	*	4/2016	Sumii		D14/363
D760,223	S	*	6/2016	Peng		D14/363
D764,472	S	*	8/2016	Corcoran		D14/440
D769,863	S	*	10/2016	Little		D14/300
D794,628	S	*	8/2017	Van Dijke		D14/300
D798,236	S	*	9/2017	Nada		D13/123
D852,160	S	*	6/2019	Chen		D14/168
D860,957	S	*	9/2019	Gao		D13/184
D861,609	S	*	10/2019	Kato		D13/123

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44

